

**EXPRESSION OF INTEREST**

**FOR**

**TECHNO COMMERCIAL PROPOSAL FOR BUDGETARY ESTIMATE FOR  
VOCATIONAL LABS IN HIMACHAL PRADESH SCHOOLS**

**EOI Ref No. BECIL/DGM (VPG)/Eoi/  
supply of tools and equipment for  
Vocational Laboratories/Workshops  
schools of Vocational Trades /2024-25  
Dated: 20/03/2025**

**Issued By**

**Ved Prakash Gupta, Deputy General Manager**

 <p>बेसिल BECIL</p>	<p><b>Broadcast Engineering Consultants India Limited (A Government of India Enterprise) CIN No. : U32301UP1995GOI017744</b></p> <p><b><i>Corporate Office:</i></b> <b>BECIL BHAWAN, C-56-A/17, Sector-62, Noida-201 307Tel: 0120 4177850, Fax: 0120 4177879</b></p> <p><b><i>Head Office:</i></b> <b>14-B Ring Road, IP Estate, New Delhi- 110002Tel: 011 23378823, Fax: 01123379885</b> <b>Web: <a href="http://www.becil.com">www.becil.com</a></b></p>	 <p>G20 भारत 2023</p>
--	--	--

## **DISCLAIMER**

The information contained in this Request for Proposal document (the "EOI") or subsequently provided to Participating agency(s), whether verbally or in documentary or any other form by or on behalf of BECIL or any of its employees or advisors, is provided to Participating agency(s) on the terms and conditions set out in this EOI and such other terms and conditions subject to which such information is provided. This EOI is not an agreement and is neither an offer nor invitation by BECIL to the Participating agencies or any other person. The purpose of this EOI is to receive budgetary quote to get a perspective on the approximate cost involved in executing such project. This EOI includes statements, which reflect various assumptions and assessments arrived at by BECIL in relation to the Project. Such assumptions, assessments and statements do not purport to contain all the information that each Participating agency may require. This EOI may not be appropriate for all persons, and it is not possible for BECIL, its employees or advisors to consider the investment objectives, financial situation and particular needs of each party who reads or uses this EOI. Each Participating agency should, therefore, conduct its own investigations, actual site/facilities/location inspections and analysis and should check the accuracy, adequacy, correctness, reliability and completeness of the assumptions, assessments, statements and information contained in this EOI and obtain independent advice from appropriate sources. Information provided in this EOI to the Participating agency(s) is on a wide range of matters, some of which may depend upon interpretation of law. The information given is not intended to be an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. BECIL accepts no responsibility for the accuracy or otherwise for any interpretation or opinion on law expressed herein. BECIL, its employees and advisors make no representation or warranty and shall have no liability to any person, including any Applicant or Participating agency under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this EOI or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the EOI and any assessment, assumption, statement or information contained therein or deemed to form part of this EOI or arising in any way for participation in this Proposal Stage. BECIL also accepts no liability of any nature whether resulting from negligence or otherwise howsoever caused arising from reliance of any Participating agency upon the statements contained in this EOI. BECIL may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information, assessment or assumptions contained in this EOI. The issue of this EOI does not imply that BECIL is bound to select a Participating agency. The Participating agency shall bear all its costs associated with or relating to the preparation and submission of its Proposal including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by BECIL or any other costs incurred in connection with or relating to its Proposal. All such costs and expenses will remain with the Participating agency and BECIL shall not be liable in any manner whatsoever for the same or for any other costs or other expenses incurred by a Participating agency in preparation or submission of the Proposal, regardless of the conduct or outcome of the bidding Process. No participating agency has any right to claim any compensation or reimbursement to any cost. Participation in EOI does not guarantee selection of participating agency.

## TABLE OF CONTENTS

<b>S. NO.</b>	<b>SECTION</b>	<b>DESCRIPTION</b>	<b>PAGE NUMBER</b>
1	SECTION – I	INTRODUCTION AND BRIEF DESCRIPTION	4
2	SECTION – II	IMPORTANT DATES (SCHEDULE AND CRITICAL DATES)	6
3	SECTION – III	GENERAL TERMS & CONDITIONS OF EOI	7
4	SECTION – IV	SCOPE OF WORKS	11-12
5	ANNEXURE	ANNEXURE – A	13-76
6		ANNEXURE – B	77

## SECTION –I

### INTRODUCTION AND BRIEF DESCRIPTION

#### **1. ABOUT BECIL**

Broadcast Engineering Consultants India Limited (BECIL), an ISO 9001:2015, 27001:2013, ISO/IEC 2000:2012 certified Mini Ratna Central Public Sector Enterprise (CPSE) was incorporated on 24th March, 1995 under the Companies Act, 2013 (erstwhile the Companies Act, 1956) by Government of India with 100% equity share capital of BECIL held by President of India through Secretary and Joint Secretary of Ministry of Information & Broadcasting.

The Company was initially set up for providing project consultancy services and turnkey solutions encompassing the entire gamut of radio and television broadcast engineering, establishment of transmission facilities, content production facilities, terrestrial, satellite and cable broadcasting in India and abroad. The company has now diversified into the fields of Strategic Projects such as Information Communication.

Technology, Electronic Surveillance (namely CCTV, Access Control, Intrusion, Fire Safety, Hydrants, etc.). Electronic Media contents including films, Sentinel Analytics, Counter Drones/UAV etc. The activities include, but are not limited to Supply, Installation, Testing & Commissioning, Consultancy Services, Technical Audit, Media Analysis, R&D, projects pertaining to Digital India, City Surveillance, and Safe City. Smart City, Make in India, Manufacturing, Audio Video & Data Analysis, Cyber Security, Engineering, Procurement & Construction, Project Management Services, Operation and Maintenance, Manpower Placement, AMC and providing total turnkey project for critical information infrastructure.

BECIL, has its Head Office in New Delhi, Corporate Office in Noida and Regional Office in Bangalore and Kolkata. BECIL is exploring geographical expansion in many states due to diversification in business portfolios.

Over the years, BECIL has consciously groomed and developed a team of in-house, versatile and dedicated engineers and also cultivated and harnessed a vast reservoir of professionals drawn from various fields of Broadcasting Industry, which include public and private Broadcasters, Defense and Cable Industry. Through this network of resourceful technical professionals, BECIL, has established its pan India presence to serve the needs of the industry.

BECIL has a vast reservoir of experts and integrates the expertise of All India Radio (AIR) and Doordarshan (DD), the national broadcaster of India, catering to one of the largest Radio Networks reaching out to more than a billion people and the world's largest Terrestrial Television Network supplemented by Analogue and Digital satellite Broadcasting services reaching out to millions of TV homes in India and abroad.

## **2. INTENT AND IMPORTANT ASPECTS OF THE EXPRESSION OF INTEREST (EOI)**

BECIL on behalf of its client invites techno-commercial proposal for budgetary estimate for Supply of Tools & Equipment for Vocational Laboratories/Workshops of Vocational Trades/Subjects under the National Skill Qualification Framework (NSQF). The purpose of this Eoi is only to receive budgetary proposal to get an overview on estimated cost to execute such project. In case of award of work by Client to BECIL, a tender shall be floated on government portal where Bidder may quote their competitive price. No order shall be issued to any participating agency against this Eoi.

## SECTION –II

### **3. IMPORTANT DATES (SCHEDULE AND CRITICAL DATES)**

S.N.	ACTIVITY	SCHEDULED DATE & TIME
1.	<b>EOI Number &amp; Date</b>	BECIL/DGM(VPG)/Eoi/ supply of tools and equipment for Vocational Laboratories/Workshops schools of Vocational Trades /2024-25 Dated: 20/03/2025
2.	<b>Date &amp; Time of Issue of EOI</b>	Date 21/03/2025 Time 06.30 hrs
3.	<b>Last date and Time for Submission of proposals</b>	Date 24/03/2025 Time 01:30 Hrs
4.	<b>Place of Submission of EOI / Opening of EOI</b>	BECIL Bhawan, C-56 / A -17, Sector - 62, Noida – 201307, Uttar Pradesh
5.	<b>EOI Processing Fee (Non-refundable)</b>	NIL
6.	<b>Address for Communication of proposal</b>	BECIL Bhawan, C-56 / A -17, Sector - 62, Noida – 201 307, Uttar Pradesh
7.	<b>Contact details for this EOI</b>	Ved Prakash Gupta, Deputy General Manager Telephone: 0120-4177850 Email :rupesh@becil.com/ved@becil.com

- NOTE: Broadcast Engineering Consultants India Ltd. reserves the right to amend the EOI tentative schedule and critical dates without giving any explanation whatsoever. Corrigendum may be published in this regard on [www.becil.com](http://www.becil.com) . Participating agencies are advised to check the website for updates in this regard.

## SECTION –III

### 3. GENERAL TERMS & CONDITIONS OF EOI

- 3.1 Broadcast Engineering Consultants India Limited (BECIL) invites Expression of Interest (EOI), through offline mode for techno commercial proposal for Supply of Tools & Equipment for Vocational Laboratories/Workshops of Vocational Trades/Subjects under the National Skill Qualification Framework scope of work of Eoi.
- 3.2 **The duly signed Hard Copy of the Techno Commercial Proposal is to be submitted in a packed and sealed envelope, in Tender Box, BECIL BHAWAN C56/A17 Sector 62 Noida (UP) 201307.**
- 3.3 BECIL may ask for Demonstration of Printers and UPS, if required.
- 3.4 The EOI must be addressed to the given name and address:
- To,
- Sh.Ved Prakash Gupta  
Deputy General Manager  
Broadcast Engineering Consultants India Limited  
C-56/A-17, Sector-62, Noida, Uttar Pradesh-201307
- 3.5 The EOI must be submitted in English Only. All the documents including the supporting documents/ enclosures etc. must be Calibri/Aerial/Times New Roman, font size-12 and fully legible. Supporting documents if in a language other than English must be accompanied by an English translated document. The English version shall prevail in matters of interpretation. Each and every page of the EOI should be numbered and mention the relevant page no. of the documents in the checklist. **EOI Documents which are not legible shall be rejected.**
- 3.6 In case the participating agency has any doubt about the meaning of anything contained in the EOI document, she/he shall seek clarification within 1 day 0.of issue of EOI. Except for any written clarification by Shri Ved Prakash Gupta, Deputy General Manager BECIL, no written or oral communication, presentation or explanation by any other employee of BECIL shall be taken to bind or fetter BECIL.
- 3.7 The Management of BECIL reserves the right to amend or withdraw any of the terms and conditions mentioned in the EOI Document or reject any or all the proposals without giving any notice or assigning any reason. The decision of the CMD, Broadcast Engineering Consultants India Limited in this regard shall be final and binding on all.

3.8 BECIL reserve the right to amend any term of the EOI at any point of time before the submission and participating agency should regularly check the website. Further, BECIL also reserves to increase/decrease/delete/add any BOQ item.

#### **4. SUBMISSION OF EOI**

- 4.1 EOI, complete in all respects, must be submitted offline.
- 4.2 BECIL may, at its own discretion, extend the date for submission of EOI. In such a case all rights and obligations of BECIL and the Participating agencies shall be applicable to the extended time frame.
- 4.3 As the EOI can be submitted only up to the defined date and time, there can't be any late proposals. BECIL will not be responsible for any delay in obtaining the terms and conditions of the tender. BECIL will not be responsible for postal delays. Proposals received after the due date will not be opened and rejected.
- 4.4 At any time prior to the last date for receipt of EOI, BECIL may for any reason, whether at its own initiative or in response to a clarification requested by a participating agency, modify the EOI Document by an amendment. The amendment will be notified on BECIL's website <http://www.becil.com> and should be taken into consideration by the participating agencies while preparing their EOI.
- 4.5 The participating agencies will bear all costs associated with the preparation and submission of their proposals. BECIL will, in no case, be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.
- 4.6 The EOI must contain:
- 4.6.1 Company/participating agency profile relevant to EOI.
  - 4.6.2 Techno commercial proposal
  - 4.6.3 Declaration regarding acceptance of Terms and conditions of EOI.
  - 4.6.4 Essential information such as Name & address of the agency, Business Name, E-mail id, Fax No. /Telephone No. , Authorized Signatory name, E-mail ID and contact no.
- 4.7 The EOI should be duly signed on each page by authorized person. Each page should be properly numbered. Documents authorizing the signatory must accompany the EOI.
- 4.8 The EOI complete in all respects must be submitted with requisite information and annexure(s). The EOI should be free from ambiguity, change or interlineations. Incomplete EOI will not be considered and is liable to be rejected without making any further reference



to participating agency.

- 4.9 The participating agency shall be ignored, if complete information is not given there-in, or if the particulars and data (if any) asked for are not filled in properly.

4.10	<b>Checklist of documents/information to be submitted</b>	
	(a)	Profile of the company/participating agency/firm
	(b)	Participating agencies Details as per format
	(c)	All the requisite documents in the prescribed formats placed at Annexures to this EoI
	(d)	Techno Commercial proposal

## **5. OPENING OF EOI**

5.1 The proposals submitted against this EOI shall be opened on Date 24/03/2025 at 01:30Hrs. BECIL reserves the right to change the date of opening of proposal.

## **6. GENERAL TERMS & CONDITIONS OF EOI**

6.1 The Techno commercial proposal is to be placed inside a single sealed envelope named as

**“Response for EOI No. BECIL/DGM (VPG)/Eoi/ supply of tools and equipment for Vocational Laboratories/Workshops schools of Vocational Trades /2024-25 Dated: 20/03/2025 Submitted by: [Firm/Company name]**

6.2 BECIL reserves the right to solicit additional information from participating agency/OEM/Implementation Agency to evaluate which proposal best meets the need of the Project. Additional information may include, but is not limited to, past performance records, lists of available items of works which will be done simultaneously with the project, on-site visit and evaluations by BECIL personnel, or any other pertinent information. It will be vendor’s responsibility to check for updated information on website <https://www.becil.com>. BECIL reserves the right to cross verify the information directly with client

6.3 BECIL reserves the right to waive off any deviations, accept the whole or part thereof or reject any or all proposals and to select the participating agency/OEM/Implementation Agency(s) which, in the ~~se~~ opinion of BECIL, best meets the project’s interest. BECIL also reserves the right to negotiate with potential participating agency/OEM/Implementation Agency(s) so that its best interest to fulfill the need of project is served.

6.4 BECIL reserves the right to reject any and all proposals, to negotiate all terms of any agreement resulting from this EOI, and to request additional information from participating agency.

6.5 All information contained in this EOI, or provided in subsequent discussions or disclosures, is proprietary and confidential. No information may be shared with any other organization, including potential sub-contractors, without prior written consent of BECIL.

6.6 Any dispute or difference or claim arising out of or in relation to this EOI shall be settled or decided by CMD/Director, BECIL or by any other person to be nominated by CMD/Director.

## SECTION –IV

### SCOPE OF WORKS

#### 7. Objective and Scope of work with Specification detail

##### 7.1 Objective

- To establish well-equipped vocational laboratories in selected government schools.
- To support skill-based education under the National Skills Qualifications Framework (NSQF).
- To provide industry-relevant training facilities for students in various vocational sectors.

##### Scope of Work

The primary responsibilities under the scope of work include:

##### Supply of Tools, Equipment, and Furniture

- The Agency shall supply high-quality laboratory tools, equipment, and furniture as per the suggestive specifications detailed in Annexure 'A'.
- The supplies must meet safety standards and comply with industry norms for vocational training.

##### Delivery and Installation

- The Agency/CPSU will be responsible for the transportation, safe delivery, and installation of all materials at the designated schools.
- Proper assembly, placement, and functional testing of all equipment will be carried out to ensure operational readiness.

##### Sector-wise Implementation

- The establishment of vocational labs will be carried out in 15 different sectors, as per the following school-wise distribution:

Sector	Cat-1	Cat-2	Total
Agriculture	57	9	66
Apparels	17	0	17
Apparels	49	9	58
Beauty & Wellness	22	0	22

Banking, Financial Services & Insurance	12	0	12
Electronics	33	2	35
Food Industry	14	9	23
Healthcare	110	2	112
ES (Information Technology Enabled Services)	82	4	86
Physical Education	4	0	4
Plumber	41	1	42
Private Security	3	0	3
Retail	36	5	41
Telecom	29	0	29
Tourism & Hospitality	64	10	74
<b>Total</b>	<b>573</b>	<b>51</b>	<b>624</b>

## Annexure – A

Sector wise-Suggestive list of Tool and Equipment						
Agriculture Lab						
Item Number	Sector	Item Title	Item Description	Cat 1	Cat 2	UNIT
1	Agriculture	KNAPSACK SPRAYER	Tank capacity in litres-16 ,Straps length in mm - 840, Strap width in mm-38 ,Pump discharge in ml/min-500 or more at 300 kPA, Tank filling hole diameter in mm-90, Tank material-Plastic Lid or cap material-Plastic, Delivery hose length in cm-110, Thickness of cushion on strap in mm-20 ,Width of cushion on strap in mm-40, Overall Dimension of Manually Operated Knapsack Sprayer( L x W x H) in mm x mm x mm-430 X 177 X 520,	2	4	
2	Agriculture	GRAFTING KNIFE	Material of Knife Alloy - Steel, Outer Handle Scales - Plastic, Length of blade in mm- 140 - 150	3	6	
3	Agriculture	PRUNING SECATEUR	Product Breadth : 11.5 Cm, Product Height : 12 Cm, Product Length : 11.5 Cm, Material: Stainless Steel, Color: Colorful, Quality Plastic material body and Steel handles, quality blade made of high carbon steel with Ultra-fine Polishing Technology	2	4	
4	Agriculture	GARDENING RAKE	Number of Spikes-14 ,The length of the handle of Garden Rake (in metres)-1.5M , Diameter of the handle of Garden Rake (in mm)-25MM ,	3	3	
5	Agriculture	SICKLES	Type of Sickle - Sickles with solid blade Nominal Size of Sickle (in mm) with tolerance-175, Hardness of the blade of the sickle-45	2	4	
6	Agriculture	PRUNING SAW	C type pruning saw, Handle Material Engineering Plastic Blade Material High Carbon Steel Total length 400 mm (minimum) Blade length 380 millimeter Blade feature Blade should be slight curve shape and it should have ground sharpe or serrated type edge on the cutting side	2	4	
7	Agriculture	Gardening Kit	Kit Contains : Number of Gloves 1 pair, number of Drip Trays 2 , number of pots 3, Number of seed packet 4 number of watering can 1 Number of Trowel 1 number of kitFork , Number of Weeder 1 Number of Fork 1 Number of soil discs 1 Number of shears 1	2	3	

8	Agriculture	SPADE	Length of Blade in mm 250 Mouth Width of Blade in mm 100 Thickness of Blade sheet in mm 40 Length of shaft in mm 600 Material of Blade Mild Steel Type of Handle D-shaped handle	2	4	
9	Agriculture	Hammer	Material should be of Steel, Material of Handles should be of good quality wood, Type of Hammers - ball pein hammer	2	4	
10	Agriculture	SOIL TESTING KIT	Material- Plastic pH 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0 Available Nitrogen 140, 280, 420, 560, 700 (N) (Kg/ha) Available Phosphorus 7, 14, 21, 28, 35 (P) (Kg/ha) Available Potassium 100, 150, 200, 250, 300 (K) (Kg/ha) Organic Carbon 0.2, 0.4, 0.6, 0.8, 1.0 % No of Tests 50 in one kit. 2 years On-Site Warranty.	1	1	
11	Agriculture	Drip Irrigation Kit	Size 10 Plants Drip Kit Colour Black Material Plastic Special Feature Automatic water your plants and flowers precisely and at ease, Watering the garden, potted plants, shrubs	1	2	
12	Agriculture	Irrigation SPRINKLER	Conformity to Indian Standards IS 12232 ( Part 1): 1996 Material of Sprinklers Metal or copper alloy Features; Replaceable nozzles shall be attached to the sprinkler by threading, push in or any other method that permits rapid and effective replacement under service condition ,Sprinkler parts, including nozzles of the same type and manufacture shall be interchangeable	2	3	
13	Agriculture	TRANSPARENT GRAFTING TAPE	MULTI-USE ROLL - Each roll is 0.78" providing enough parafilm for up to 300 grafts per roll wide 109 yards long (2cm x 100M)	6	10	
14	Agriculture	GUNNY BAGS	Material of Gunny bag -Jute ,Outside Length 100 -110 cm ( Tolerance + 4 / - 0 ) , Outside Width 60 -70 cm, ( Tolerance + 4 / - 0 ) Mass of Bag at 20% moisture regain 907 gram ( Tolerance + 8% / - 6% ) MOISTURE REGAIN Moisture Regain 22% ( Maximum ) , BAG STITCHING - Bag Stitching Herakle Stitching as per IS : 9113,.Latest Stitches per dm 9 to 11.	10	20	
15	Agriculture	FLOWER POT	Material Plastic Shape (When viewed from Top) Round Pot Length (Diameter) 500 millimeter Pot Width (Diameter) 400 millimeter Pot Height (Overall Height) 1000 millimeter	10	15	

16	Agriculture	WATER Testing KIT	Accuracy: pH: $\pm 0.05$ pH TDS: $\pm 2\%$ F.S Temperature: $\pm 0.5^\circ\text{C}$ Range: pH: 0.00 to 14.00 pH EC: 1 to 19999 $\mu\text{s/cm}$ TDS: 1 to 19999 ppm Temp: 0 to $60.0^\circ\text{C}$ / $32.0$ to $140.0^\circ\text{F}$ Resolution: pH: 0.01 pH EC: $1\mu\text{s/cm}$ TDS: 1 ppm Temperature Compensation: Automatic	1	1	
17	Agriculture	KHURPI	Material of Khurpi Carbon Steel Warranty (Years) 1 ISO Certificate of Manufacturer ISO 9001-2015	4	8	
18	Agriculture	GERMINATION TRAY	Standard	5	10	
19	Agriculture	HOE	Warranty 1 year Length of blade of spade end 10 inch Number of prongs 4 Fixing of prong & blade part to shaft Mounted fitted Material of handle wood Material of Shaft wood Material of prongs Mild steel Material of blade Mild steel	5	10	
20	Agriculture	TROWEL	Type of Trowel Scoop Trowel Material of Blade Steel Material of Tang High tensile steel Overall Length of Handle (in mm) 160 The tang shall be rigidly joined with blade either by welding or riveting Yes Material Coating of Handle Lacquer coated Heat treated surfaces shall be free from cracks, burrs, scales, rust, etc Yes	5	10	
21	Agriculture	WATERING CAN	Shape of Watering can Other Opening for Watering Filling Yes Type of Handle Saperate Handles for Hanging and Holding Support Between Spout and Body Yes Type of Spout With Perforation Colour Green Material of Watering Can Polypropylene (PP)	4	8	
22	Agriculture	PHEROMONE TRAP	Height of trap body 8 centimeter Mounting type Hanging type Depth of trap body 8 centimeter Width of trap body 9 centimeter Colour of box Green Packing Cardboard box packing No of holes to facilitate trap 1 Weight of trap body 50 gram Colour of Lid Green Material of construction PolyStyrene	3	5	

23	Agriculture	SHOVEL	Type of Shovel Square Nose Shovel (General Purpose) Type of Handle D- Grip Warranty in years 1 Material of Rivets and Pins Rivet and pins shall be made of mild steel Material of Handle Shovel Shaft shall be made from wood Length of Blade in mm +- 6 mm tolerance 340 Weight of Blade in kg + - 10 tolerance 1.8 Length of handle in mm + - 10 mm 810	4	8	
24	Agriculture	MEASURING TAPE	Case material ABS Blade material Plastic Size,(m) 15 Warranty,(year) 1	4	6	
25	Agriculture	BAMBOO BASKET	Name of the sub-category Cane, Bamboo & Natural Fibre Product Description Echo Friendly Basket Does it comply with "Make In India" YES PRODUCT SPECIFICATIONS Weight 2 kilogram	5	10	
26	Agriculture	TRUNK	DIMENSION & CONSTRUCTION Minimum Weight 16.5 Kg(Size A); Steel Trunk Size LxWxH (mmXmmXmm) 800x525x375 (Size A) Tolerance in Length, Width and Height +-5 mm Method of Component fixing By Riveting All joint shall be double seamed YES	1	2	
27	Agriculture	SOIL AUGER	Diameter of Posthol Type 50 millimeter Type Helical Type (Screw type) Parts 1. Auger head 2. Rod 3. Tee piece 4. Handle Material Stainless steel Length of Rod 1 meter	4	6	
28	Agriculture	SEED GERMINATION CYCLE CHART	Material- Laminated paper,Colour- Multicolour, Size- 100cmX70cm, Plastic rods on both ends, Hanging strip, Thickness-30micron. Language-English.	6	10	
29	Agriculture	INSECT,PEST & DISEASES CHART	Material- Laminated paper,Colour- Multicolour, Size- 100cmX70cm, Plastic rods on both ends, Hanging strip, Thickness-30micron. Language-English.	6	10	
	Agriculture	Volumetric Flask Class B (ISI)	Compliance IS: 915 standard printer in blue with glass stopper, 200 ml	1	2	
31	Agriculture	Glass thermometer (ISI)	for general purpose compliance with IS: 2480, yellow with white glass	2	4	



32		Food Analysis kit	Box Must use full tool to teach and learn common adulterants and their detection for schools, teachers and parents. Yes, FSSAI Approved Yes Test 102 Guidebook Yes Acid/Alkali Solution required for some tests Yes Packing type bag contains basic chemicals and small instruments (Lactometer and Magnet)	1	1	
33		Soil Moisture Meter	Material: Plastic + Aluminium Alloy; Accuracy: 0C/ 0F 1 Working; Temperature: 0C 5-40; Soil Temperature Measurement Range: 0C 9-50; Soil pH Measurment Range; 3.5 - 9.0; Power Supply: in Volt 9; Probe Length: cm 15; Item Weight gm 80; Length in mm 300	1	1	
34		Agriculture Gum Boots	Fortune 15 inch long Gumboots with steel toe cap, ISI approved, waterproof	1	2	
35		Solar insect trap	Solar Insect Trap With solar panel	1	1	
36		First Aid Kit	Standard	1	2	

**Apparels**

Item Number	Sector	Item Title	Item Description	Qty		
1	Apparels	Tape measure	Length: 60 inch Marking: Inch & Centimeter Material type: Flexible, in Plastic Use: For garment measurement Common name: Inchitape	2	0	
2	Apparels	Sewing Gauge	Length: 6 inch Material type: Plastic Other: With Sliding marker	2	0	
3	Apparels	Clear Ruler (Scale 30cm)	Length: 30cm Material: Plastic	4	0	
4	Apparels	Skirt- Hem Marker	Dimensions; 77.47 x 17.15 x 10.16 cm Material Plastic	1	0	
5	Apparels	Retractable Tape Measure	Material: Metallic + foldable Length: 5 metre Other: Should be retractable	1	0	
6	Apparels	Zipper foot	Hinged type zipper foot Material: Metallic Number: Pair (Left & Right)	1	0	
7	Apparels	Adhesive backed rulers	Length: 40 - 60 inch Other: Adhesive on one side	2	0	
8	Apparels	Wooden Table for cloth cutting	Dimensions: Length: 1200mm, Width: 800mm Height: 800mm Material: Wooden Drawer: YES	1	0	

9	Apparels	Brown sheet	Dimensions: Length: 10m, Width: 30inch, Item Weight: 300-350g Colour Brown, Material-Paper	1	0	
10	Apparels	Dress model	Mannequin Type: Full body (Male & female) Headless: Yes With hands: Yes With legs: Yes Wig: Without  Total Weight : 15Kg Colour : Egg white Material : Fiber glass	1	0	
11	Apparels	Ball pins	Pin Length x Pin Diameter 22-35 mm x 0.6-0.8 mm, Net weight of Packet=100gms Use: Temporary joining of fabrics	4	0	
12	Apparels	Pin Cushions	Material Outside: Fabric Inside: Soft stuffing cotton Dimensions: Length*Breadth*Height = 2*3*3 approx.	2	0	
13	Apparels	Colour Pencil	Type: Coloured pencil No of Colours: Multi colored Packet= 12 pcs per packet	2	0	
14	Apparels	Tailor's chalk	Type: Dustfree chalk Colour: Multicolored, Size: 5.5*2 cm approx Packet= 12 pcs per packet	4	0	
15	Apparels	Tracing Wheel	Tracing Wheel for marking on fabric Size: Standard, 4-8 inch	2	0	
16	Apparels	Scissors	Length: 5-6 inches Material: Stainless Steel Finger holes: Both Same sized holes	2	0	
17	Apparels	Shears	Length: 10-12 inches Material: Stainless Steel Finger holes: Different sized (Bigger hole for fingers & smaller hole for thumb)	2	0	
18	Apparels	Pinking shears	Zig-zag Shears/scissors Material: Staineless Steel Length: 6-10 inch	2	0	
19	Apparels	Seam Ripper	Seam ripper for seam cutting Length: 3-5 inches approx. Material= Staineless Steel	2	0	
20	Apparels	Thread Clipper	Thread clipper for cutting thread Length: 4-6 inches approx Material= Staineless Steel	2	0	

21	Apparels	Fabric	Colour: Grey (in meters) GSM 100-150, Material Cotton	2	0	
22	Apparels	Needles (hand sewing)	Needles set for hand sewing, 30pcs in one packet hand swing needles in Round plastic compact. All needles in assorted size- 1pcs 44mm( super large eye needle), 2 pcs 51 mm (large eye needle), 3 pcs 46mm(large eye needle), 8 pcs 42mm, 8 pcs 37mm, 8pcs 31mm	2	0	
23	Apparels	Needle (machine)	Needles for sewing machines Size: 11, 14, 16, 18, 21. Set of 5 needles of each size and 5 sizes contains 1 packet	2	0	
24	Apparels	Sewing Thread	Reels box for sewing thread Material: Polyester No. of ply: 2 No. of reels: 100 per box Colour: Multicolour	2	0	
25	Apparels	Thimble	Protective tool. Material type:Rubber Packet= 12 pcs per packet	4	0	
26	Apparels	Needle threader	Material Type: Plastic Use: For inserting thread in needle. 2 pcs per packets	4	0	
27	Apparels	Bobbins	Standard bobbin Dimensions: 20mm X 10mm Packet= 15 pcs per packet	2	0	
28	Apparels	Loop turner	Dimensions: Length 10-12 inches Material: Stainless Steel 2 pcs per packets	2	0	
29	Apparels	Sewing Boxes set	Sewing box containing: 18 Thread spools, 1 scissor, 12 buttons, 1 measuring tape. Material=Plastic	2	0	
30	Apparels	Hip Curve	Material Type: Acrylic Length: 24 inches, Colour=Black Use: For bottom wear cutting	2	0	
31	Apparels	Yardstick/Meter-stick	Set of 4( Hip Curve, Leg curve, Arm curve, straight) Material Type: Wooden Length: 1m approx	2	0	
32	Apparels	Iron	Material of sole plate Aluminium alloy Body material Plastic Type: Steam Iron Indicator light: Yes Electric cord: Yes 1 year On-Site Warranty	1	0	

33	Apparels	Ironing board	Std. Ironing Board, Material- Wood Height: 3 feet Length: 4 feet Width: 1.5 feet	1	0	
34	Apparels	Press cloth	Dimensions: 40 * 100 cm; Material : Nylon	2	0	
35	Apparels	Sleeve board	Base material: Wood Top material: Fabric padding	1	0	
36	Apparels	Seam roll	Weight 150-200 g, Dimensions: Length: 12-16 inch Diameter: 2 - 3 inch Material: Fabric	1	0	
37	Apparels	Single Needle lock stitch machine (hand operated)	No. of Needle: 01 Stitch Type: Lockstitch Operation: Hand Operated without motor  Design Single needle design for producing two thread lock stitch. Reverse Stitch Mechanism: Yes Driving Arrangements: Hand Operated Machine Handle for operating m/c: YES. 2 years On-Site Warranty	1	0	
38	Apparels	Motor Driven Treadle Sewing Machine	No of Needle: 01 Stitch Type: Lockstitch Driving Arrangements: Motor Driven Sewing Machine Operation: Foot operated along with Treadle Design: Single needle design for producing two thread lock stitch. Reverse Stitch Mechanism: Yes. 2 years On-Site Warranty	1	0	
39	Apparels	Zig Zag sewing machine	No. of needles: Both single and Twin Needle Position Selector Yes ( as per clause 3.9 of IS 15449 (Part -1)) Motor driven: Yes Adjustable stitch length: Yes. 2 years On-Site Warranty	1	0	
40	Apparels	Over Lock Machine	Needle Threading :- 03 Threads. Drive :- Hand, Treadle & Motor Sewing Speed :- 3000-3500 Stitches Per Minute Bed Type :- Cast Iron With electric motor drive: Yes. 2 years On-Site Warranty	1	0	
41	Apparels	Student chair for sewing machine	Material: Stainless steel base Cusion seat: Yes Sitting surface: Flat Sitting height: 16-20 inch Armrest: Without armrest	1	0	

42	Apparels	Embroidary Book	art motif pattern books for students	2	0	
43	Apparels	Art Colouring book	majestic animals or mandala art books for students	2	0	
44	Apparels	First Aid Book	Standard	1	0	
<b>Automotive</b>						
Item Number	Sector	Item Title	Item Description	Quantity		
1	Automotive	Air Compressor	Heavy Duty Automatic 30 Liter, 2 HP Motor and auto cut.	1	1	
2	Automotive	Bench Vice	Material And Dimensional Parameters -: Material of Body for Bench Vice -Steel cast Material of Movable jaw- Steel cast Material of Swivel base plates- Steel cast Material for Jaw plates- Tool steel Material for Screw spindle and handle- Steel	1	1	
3	Automotive	Work Tables	Wooden 5 ft x 2.5 ft	2	3	
4	Automotive	Bench Grinder	Material Aluminium Product Dimensions 30.5L x 21W x 21.6H Centimeters Style Heavy Duty Power Source Hand Powered Feature : Heavy Duty Aluminum Base Adjustable Work rest, Including 1set eye shield, , Packed by Carton Box Input Power : 150W & No Load Speed : 2950rpm Wheel Size : 150 mm Ingco Item No : BG61502 & Voltage : 220-240V~50/60Hz	1	1	
5	Automotive	Oil Draining& Filling Equipment	Material of Oil Can - Mild Steel Material of Nozzle - Stainless Steel Capacity of Oil Can - 500 ML Length of Spout - 50MM Outer Diameter of Spout Tip - 2MM Inner Diameter of Spout Tip - 2MM Diameter of Filling Hole - 2MM	1	1	
6	Automotive	Cooling System Tester	Easy-to-read pressure gauge with rubber protective sleeve, Color-coded radiator test caps for easy identification	1	1	
7	Automotive	Multi meter	Pressure range : 0-35 psi/0-2.5 bar with pressure release valve and quick coupler	3	5	
8	Automotive	Hydro Meter	Standard	1	2	
9	Automotive	AC Clamp Meter	Easy-to-read pressure gauge with rubber protective sleeve, Color-coded radiator test caps for easy identification	1	2	
10	Automotive	Coolant Tester	Pressure range : 0-35 psi/0-2.5 bar with pressure release valve and quick coupler	1	2	

11	Automotive	Battery & Charging System Testor	Display Type: LCD Rated Voltage (V): 12V/24V Shipping Weight 0.44 kg Shipping Dimensions 21 × 12 × 7 cm	1	2	
12	Automotive	Diagnostic tool	Car Diagnostic tool: Full OBD2 Scanner OBD 2 Engine Code Reader Creader 3001, Product Dimensions 8L x 2.5W x 13H Centimeters, Display resolution 160 x 128, Features : Read Live Data Stream, Data Stream: Reads and displays live ECU/PCM data stream, O2 Sensor Test: , Read Vehicle Info: Display the information such as VIN (Vehicle Identification Number), CID (Calibration ID) and CVN (Calibration verification number), etc. Component Test	1	2	
13	Automotive	Hand Tools	Material -Chrome Vanadium Steel Item Dimensions LxWxH 20 x 10 x 3 Centimeters Head Style -Hex Finish Type -Nickel Chrome Set contains-: 2 x - 1/2" Spark Plug Sockets: 16MM & 21MM 1 x - 1/2" x5" Extension Bar. 1 x - 1/2" x10" Extension Bar. 1 x - 3 Way Adaptor. 1 x - 1/" Ratchet Handle 6 x - 1/2" (Socket 12PT): 10-12-13-14-16-17MM 19 x -1/2" (Socket 6PT) : 8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27-32MM	2	3	
14	Automotive	Pneumatic Tools	Warranty - 1 year Torque (Nm) - Approx. 408 Weight - Approx. 4.53 kilogram Free Speed (rpm) - Approx. 6.5 Torque (Nm) - Approx. 1669 Single trigger for both forward and reverse operation,Heavy duty gear box with thrust bearing for low friction and longer operational life,Low noise level with no vibration,Accessories like universal socket, universal joint and thin wall sockets available Square Drive Size in inch- 3/4 Diameter -66 millimeter Height- 200 millimeter	1		
15	Automotive	Torque Wrenche	Item Weight : 475 g Net Quantity : 1.00 count	1	2	
16	Automotive	Fender covers/kits	Water Proof Long Lasting Colour -Black	2	4	

17	Automotive	Floor Mats	Colour- Grey Material -Ethylene Vinyl Acetate Size-Approx. 45cm x 500cm Pattern -Diamond Number of Pieces 1 Stain Resistant.	2	4	
18	Automotive	Cotton Gloves	Size-Small Width across palm - 10 cm for small Overall Length - 24 cm for small Depth of Cuff - 6 cm for small Total No of Wales - 68 for small	4	8	
19	Automotive	Hard Toed Boots	Governing Specification BIS specification No IS: 5557: 2004 Latest Type 2 — Oil resistant Varieties of industrial protective rubber boots: Variety 1 (Industrial protective rubber knee boots.)	4	8	
20	Automotive	Sun Glasses	GOGGLE LENS Filter – 2-1.2 UV according to EN 170,Impact Resistance: Designed to withstand energy impact of 120 m/s on the frame which will confirm to EN (Marking B) Maximum Weight of Chemical Splash Proof Goggle 100 grams	4	8	
21	Automotive	Bump Caps	Ventilation Holes On Both The Sides Inside Harness of two Section PE Cradle Head Band Incorporating an adjustable Nape Strap with PU Sweat Band Material - Plastic Colour White	4	8	
22	Automotive	Air Tester	Material - Plastic Gauge Calibration - 10-160 PSI Hose Length - 20 inch Warranty 1 year	2	3	
23	Automotive	Hydraulic Jacks	Warranty (Years) 1 Lifting Capacity (min.) -(Ton) 10 Working Pressure- (bar) 700 Lifting Stroke- (mm) 300	2	3	
24	Automotive	Vehicle safety stands	Plastic Material	4	6	
25	Automotive	Parts washing station car	Power Source - Corded Electric Colour - Yellow Item Dimensions LxWxH - 28 x 32 x 52 Centimeters Maximum Pressure - 135 Bars Hose Length - 5 Metres Tank Volume - 16 Litres warranty - 2year	1	2	

26	Automotive	Pullar	Package Dimensions - 20 x 10 x 3 cm; 490 Grams Item Weight - Approx.490 g High carbon steel reversible legs and body Hex head forcing screws For use with ratchet or spanner Use for removing wheel bearings, hubs, gear pulleys	2	4	
27	Automotive	Sliding Hammer	Package Dimensions : 15 x 10 x 5 cm Item Weight 300grams	4	6	
28	Automotive	Head Light Focusing	Helmet Sizes (mm)- 520 Width of the Head Band (mm)- 30-35 Diameter of the hole (mm) -3 Interhole (for ventilation) distance (mm)- 16-20	2	3	
29	Automotive	General Hand Tool	Product Dimensions : 28 x 4.5 x 25.3 cm; Item Weight : Approx. 2 kg 470 g	1	2	
30	Automotive	A/C Leakage tester	Power source - Battery Rechargeable battery- Li-Ion Battery capacity (mAh) 2500 Battery life per charge (in Splicing cycles) in (time/hour) 200 Maximum Operating tempature for Electric A/C Detector complete set Kit in degree celsius 55 Operating Humidity for Electric A/C Detector complete set Kit (RH) 80% Warranty of Electric A/C Detector complete set Kit - 2 Years	1	2	
31	Automotive	Apron	Black Color	20	40	
32	Automotive	Beaker	500 ml, BIS Clear Graduation, hig resistance to chemical attack	8	16	
33	Automotive	Battery Hydrometer	Graavity Range - 1.100-1.300 SP GR at 27 Degree ISI marked and material made of glass barrel	2	3	
34	Automotive	Slugging Spanner : Open ended	Open ended ISI	2	4	
35	Automotive	Slugging Spanner : ring 32 mm	Ring 32 MM ISI	2	4	
36	Automotive	White Board	Steel material	1	2	
37	Automotive	Vernier Calliper	0-300 mm Least count 0.02	1	2	
38	Automotive	Micro meter	0-25mm, *0.01m, +/- 0.03mm at 10mm	1	2	



39	Automotive	warning sign stickers	Well defined signs with proper reflexion	5	10	
40	Automotive	screw driver	Good quality	1	2	
41	Automotive	screw driver insulated	100 mm to 300 mm (set of 5)	1	2	
42	Automotive	Hammer set of 4	0.5 kg, 0.75, 1 Kg hammer, plastic hammer	1	2	
43	Automotive	Head Protection	Insulated	1	2	
44	Automotive	nose plier	Usage Industrial, Garage/Workshop Material Alloy Steel Colour Red/ Blue/Green Length 6 inch Handle Material Plastic, Steel Type Long Nose Plier Specific Uses For Product Hold, Holding, Twisting, Cutting, Electrical, Bending Size-6 inch	1	2	
45	Automotive	T spanner	up to 32 mm (Set of 12), complete body cover with insulator (Except Tip)	1	2	

#### Beauty & Wellness

Item Number	Sector	Item Title	Item Description	Quantity		
1	B&W	All in one eyelash brush /comb	Colour - Random Material - Plastic Item Form - Wand, Professional Eyebrow Brush - DOUBLE HEAD DESIGN: One eyelash comb, eyebrow groomer on the reverse side. double side eyebrow comb will help you evenly to separate eyebrow, keep your eyebrow tidy and clean. And can easily separate lashes after curling and mascara application.	5	0	
2	B&W	Applicator brush	Colour - Random Item Form- Wand Item Dimensions- not less than LxWxH 30 x 3 x 3 Centimeters Item Weight- Between 60 Grams to 80Grams	5	0	
3	B&W	Arm chair	Product Dimensions- 48.3D x 50.8W x 88.9H Centimeters- Colour - Random Material- Stainless Steel Maximum Weight bearing capacity- Recommendation 120Kg to 140 Kg Style - Modern Frame Material- Alloy Steel Special Feature Arm_Rest,	1	0	

4	B&W	Barber brush	Colour - Random Material- Plastic Hair Type- All Product Benefits Detangle Item Weight- 60-80 Grams Shape- Flat Handle Material-Wooden Handle	5	0	
5	B&W	Blackhead remover	Model Name- 6 in 1 derma suction Material-Plastic Colour - Random, Pimple Removal Tool, Acne Removal Tool, Blackhead Remover Tool.	4	0	
6	B&W	Facial bowls	Colour: Multi Item Form: Oval Brush Skin Tone: All Item Dimension : not less than LxWxH (10.3x6x4 cm)	5	0	
7	B&W	Brushing machine 10 in 1 vacuum. High frequency	Item Dimensions- not less than LxWxH 14 x 5 x 4 Centimeters. Blade Material - Stainless Steel Target Audience-Women Power Source - Corded Electric Crescent High Frequency Beauty Equipment Spot Wrinkle Remover Machine Professional	1	0	
8	B&W	Complete make up brushes set	Colour - BLACK or Random Material- Soft Bristle Item Form -Wand Recommended Uses For-Product Contouring,Professional Set of 24 in 1	4	0	
9	B&W	Crimpers	Hair Type- All Size- Standard Colour - Random Material - Ceramic /Plastic, Dimensions- LxWxH 50 x 95 x 350 Millimeters Item Weight- not < 464 Grams/random(+50/-50)gm Power Source- Corded Electric Max Temperature- Setting 55 Watts Heater Surface Material- Ceramic	4	0	
10	B&W	Curling Iron	Hair Type Curly Size- 25mm/standard Material- Ceramic Item Dimensions LxWxH 5.2 x 8.6 x 37 Centimeters Item Weight- not < 454 Grams Power Source- Corded Electric Max Temperature Setting 200 Degrees Celsius Heater Surface Material Ceramic	4	0	

11	B&W	Curling rods small medium large	Curling rods- (small, medium, large) Size 1/2/3 Material Foam, Cotton, Rubber Color - Random Item Form -Clip	4	0	
12	B&W	Decorative pins boxes	Material -Plastic SIZE: 1-1/4"L x 1-1/4W x 7/8"H *For display purposes this box is shown with optional item, gold star lapel pin inserted. Pin not included.*	6	0	
13	B&W	Double wax heater	Item Form - Wax Heater Skin Type - All Product Benefits- Body Facial Waxing, Material- Plastic Use- for Whole Body COMPATIBLE WITH ALL WAX TYPES - This wax heater is compatible with all types of wax for safe, efficient and easy hair removal in minutes. DURABLE AND LIGHT: With high quality and high-temperature materials, electric cable and plug,	1	0	
14	B&W	Dustbin	Colour - Random Item Dimensions LxWxH 26 x 26 x 36 Centimeters (+5,-5) Weight 200 Grams Material - Plastic	2	0	
15	B&W	Electric hair cutter machine	Item Dimensions- LxWxH 50 x 50 x 50 Millimeters(minimum) Target Audience- Men Power Source Corded Electric, Battery Powered	2	0	
16	B&W	Exfoliation machine	Special Feature - Speed Control Use for Whole Body Material - Plastic Power Source -Corded Electric Product Benefits - Pain Relief	1	0	
17	B&W	Facial Bed	Size -Standard Colour - Random Item Dimensions-approx. LxWxH-114.3 x 58.4 x 76.2 Centimeters Style -Modern	1	0	
18	B&W	Foot Spa	Power Source Corded Electric Material -Acrylonitrile Butadiene Styrene Item Weight -: 2.2 to 2.4 Kilograms Colour- Blue With Auto Rollers	1	0	
19	B&W	Hair Connector	Colour - Random Material -Plastic Hair Type- All Pattern- Claw	1	0	

20	B&W	Hair cutting comb	Material- Metal Size 10 Count (Pack of 1) Colour - Random Hair Type - All Easily & painlessly detangle all types of hair; fine, thick or curly, without tearing or breaking.	5	0	
21	B&W	Hair dryer	Colour - Random Material -Plastic Pattern Hair Dryer Powerful 1600W hair dryer creates the optimumlevel of airflow, for beautiful results every day Cool air setting provides a burst of cold air to finish and hold your style 3 preselected heat/speed comb in at ions, making it quick and easy to achieve the perfect style	1	0	
22	B&W	Hair pins boxes	Brand Big Box Colour Multicolor Age Range (Description) Kids Material Metal Number of Pieces 20 Pattern Solid Item Dimensions LxWxH 50 x 50 x 50 Millimeters	5	0	
23	B&W	Facial Steamer and Hair Steamer	Colour White Material Plastic Brand Kingdom Item Dimensions LxWxH 22 x 17.5 x 14.3 Centimeters Product Benefits	1	0	
24	B&W	HAND MIRRORS	Shape - Rectangular Material - Metal Finish Type - Polished Mounting Type - Floor Mount Number of Pieces - 1 Product Dimensions - 14.2L x 4.9W Centimeters Item Weight - 325 Grams Assembly Required - Yes	2	0	
25	B&W	HIGH CHAIR	Colour 1) Jupiter-Superb HB (Black-Black) Brand Green Soul Product Dimensions 50D x 65W x 115H Centimeters Style Jupiter Superb Special Feature Adjustable Lumbar, Adjustable Height, Ergonomic, Arm Rest, Swivel	1	0	

26	B&W	HYDRAULIC CHAIR	Product Dimensions - 50D x 57W x 90H Centimeters Recommended Uses - For Product Office Room Type Office, Board, Study, Meeting, Reception Colour - Random Material - Polyplastic	1	0	
27	B&W	JUMBO ROLLERS SET	Material- Plastic Colour -Green Hair Type - All Item Dimensions - LxWxH 6.4 x 3 x 3 Centimeters Item Form - Clip	5	0	
28	B&W	LARGE SIZE ROLLERS	Size - Medium Material - Plastic Colour - Multicolor Hair Type - All Item Dimensions - LxWxH 8 x 12 x 10 Centimeters Item Form - Clip	5	0	
29	B&W	LARGE STOOLS	Colour - Brown Frame Material - Plastic Seat Material - Type Plastic Size - Large Style - Modern Shape -Square Item Weight - 450 Grams/Standard Seat Width - 1.5 Feet Maximum Weight Recommendation 150 Grams	5	0	
30	B&W	LARGE TOOTH COMB	Material - Plastic Size - 2 Count (Pack of 1) Colour - Multi Hair Type - All	5	0	
31	B&W	RACK for holding MAGAZINES & BOOKS	Material Engineered Wood Mounting Type Floor Mount Room Type Office, Living Room, Bedroom, Study Room Shelf Material Display Shelf Product Dimensions 47D x 21W x 131H Centimeters Item Shape Rectangular	2	0	

32	B&W	MAKEUP CATALOGUES	Publisher - Createspace Independent Publishing Platform (23 August 2018) Language - English Paperback - 152 pages ISBN-10 - 1726054403 ISBN-13 - 978-1726054409 Item Weight - 222 g Dimensions - 12.7 x 0.86 x 20.32 cm	2	0	
33	B&W	MAKE UP PALATE	Finish Type - Matte Coverage - Full Item Weight - 24 Grams Item Dimensions - LxWxH 18 x 10.5 x 1.5 Centimeters	5	0	
34	B&W	Manicure Set	Manicur- Set 18 in 1 Professional Pedicure Set Nail scissors Grooming Kit with Leather Travel Case Pink	2	0	
35	B&W	Manicure trolley	Color - Black Frame Material - Metal Top Material Type - Engineered Wood Base Type- Legs	2	0	
36	B&W	Markers set as required	Style Double Sided,Art,Dual Brush,Fine Point Ink Color Multicolor Point Type Fine and Nylon Brush Tips Line Size Fine Tip is 0.4mm	1	0	
37	B&W	MEASURING CUP SET	Color - Assorted Color Item Dimensions - LxWxH 6.3 x 5.51 x 2.36 inches Bowl Material - Plastic Number of Pieces - 4	2	0	
38	B&W	MEASURING GLASS SETS	Color - Clear Material-Glass Capacity - 5 Ounces Number of Pieces- 2	2	0	
39	B&W	MEASURING SPOON SET	Color - Blue. Material - Stainless Steel Capacity - 5 Milliliters Item Dimensions - LxWxH 6.89 x 3.5 x 2.36 inches, 12 spoon set.	1	0	
40	B&W	Mixing bowl set	Color - Colorful Pattern - Solid Is Dishwasher Safe No Capacity 1.5 Quarts	2	0	
41	B&W	MODULER MIRRORS	Light fixture form - Vanity Indoor/Outdoor Usage Indoor Power Source Corded Electric Room Type Bathroom Mounting Type Wall Mount	1	0	

42	B&W	MOP	Color Gray Material Cedar Included Components 1 Rinse Clean bucket, 1 adjustable telescopic handle and 3 genuine microfiber mop heads Unit Count 1.0 Count	1	0	
43	B&W	NEEDLE FOR STRIKING	Material Stainless Steel - Skin Type - Acne Prone Item Weight - 0.2 Ounces	1	0	
44	B&W	PARAFFIN HEATER	K-Salon Paraffin Wax Machine Paraffin Bath Quick Heating Wax Warmer, 8 Packs of Wax 3.5lb for Hand and Fe for Hand and Feet	1	0	
45	B&W	Pedicure set	Material - Stainless Steel,Abs Material Item Form - Filer Multiple function- manicuring, pedicuring, eyebrow shaping, anti-acne, exfoliating etc, only with one set and all done Top quality stainless steel- these manicure pedicure sets are made of top high steel, pretty, sturdy and built to last	2	0	
46	B&W	Perming Cap	Reusable Processing Cap for Hair, Deep Conditioning Cap, Coloring Cap for Hair, Aluminum Thermic Silver Foil Cap	2	0	
47	B&W	Pin curl clips boxes	Color - Original version Material - Metal Hair Type - All Pattern - Solid	2	0	
48	B&W	RAZOR WITH BLADE	Number of Blades -4 Number of Pieces- 4 Age Range (Description) -Adult Skin Type- Combination	1	0	
49	B&W	ROLLER BRUSH SET	Color- Blue Material -Plastic Hair Type-: All (Wavy, Dry, Thick) Product Benefits Create different salon looks by yourself	1	0	
50	B&W	ROLLER PINS	Item Weight- 0.13 Pounds Number of Pieces - 36 Recommended Uses For Product- All Hair	1	0	
51	B&W	SHAMPOO BOWL SET	Material Plastic - Furniture Finish Plastic Maximum Weight- Recommendation 330 Pounds	1	0	

52	B&W	SHAMPOO UNIT	Size - 2 unit Hair Type - All Liquid Volume - 100 Millilitres Recommended Uses - For Product Dandruff Item Form - Liquid	1	0	
53	B&W	SHOWER CAP	Size - Medium Color - Rose Taupe Material - Silk Inner Material - Silk Satin	2	0	
54	B&W	SMALL SCISSORS	Colour- Silver Material - Stainless Steel Blade Material - Stainless Steel Item Dimensions - LxWxH 10 x 4.7 x 0.3 Centimeters	5	0	
55	B&W	SMALL SIZE HAIR ROLLERS WIRES	Size - 12 Count (Pack of 1) Material - Plastic Item Dimensions - LxWxH 11 x 6 x 9 Centimeters Item Form Clip	2	0	
56	B&W	SPATULA	Item Form - Oil Skin Type - All Use for - Whole Body ODORLESS & BPA FREE: Made of high quality silicone, they are totally food grade, FDA grade. DURABLE & FLEXIBLE: The stainless steel core makes them extremely durable, the seamless one-piece design makes them so easy to clean and sanitary to wash. The flexibility is also excellent.	2	0	
57	B&W	SPRAY BOTTLE	Material - Plastic Colour - Transparent Capacity - 250 Milliliters	5	0	
58	B&W	STONE THERAPY SET	Special Feature - Waterproof Use for - Face Material Stone Colour - Multicolour Product Benefits - Skin Care Product Grade- Home Style Classic	1	0	
59	B&W	STRAIGHTENING IRON	Hair Type- Damaged Size - Full Colour- Grey Injection / Pink Plates Material - Ceramic Tourmaline Item Dimensions - LxWxH 32.1 x 11 x 5.5 Centimeters Item Weight - 556 Grams/random Power Source - Corded Electric Max Temperature Setting - 230 Heater Surface -Material Ceramic	2	0	



60	B&W	TAIL COMB	Size - 2 Count (Pack of 1) Colour Red Made from non-petroleum-based cellulose acetate derived from natural plants Smooth and strong round-shaped teeth for comfortable combing and reducing hair fall	2	0	
61	B&W	THINNING SCISSORS	Colour- Silver & Black Material- Stainless Steel Blade Material- Stainless Steel Item Dimensions - LxWxH 50 x 50 x 50 Millimeters	2	0	
62	B&W	TINTING BRUSH WITH COM	Colour- Black Material- Nylon Hair Type- All Shape Round	5	0	
63	B&W	TWEEZER	Colour- Silver Item Dimensions- LxWxH 33 x 139 x 391 Millimeters Style Flat,Slant	5	0	
64	B&W	WORKINH AND FACIAL TROLLEYS	Four Side open Drawer Size-15x12.5x36.5 Material- Plastic No of Tray - 4 (min) No of wheel - 4	1	0	

**BFSI**

Item Number	Sector	Item Title	Item Description	Quantity		
1	BFSI	POS Machine	Android handheld POS Terminal (1GB DDR3 RAM + 8GB eMMC FLASH) for billing and business application with 2 inch Thermal printer, Camera and RFID Card Reader - Android 9.0, Quad-core QUALCOMM 1.1 GHz Processor, 5 inch 1280*720 HD Touch Screen, Support 4G/3G/2G, WiFi, Bluetooth V4.0+EDR, Support upto 64 GB external TF card, Rechargeable Li-polymer battery 7.4V x 2000mAH (14.8 wh), Very Compact easy to carry around and convenient to use; rechargeable battery supports long-lasting working time	1	0	
2	BFSI	Finger Scanner	Single Finger Print Scanner device, Connector Cable to connect the Device to Micro USB,Finger Print Device Connectivity-through Integrated USB 2.0,Finger Print Device Power-Through USB,Provide all accessories to connect the finger Print Scanner Device with the Tablet/Mobile Phone.	1	0	

3	BFSI	Cash Locker	Digital Cash locker Height - 200 mm Width - 300 mm Depth - 200 mm Volume - 8 Ltr. Weight - 5 Kg Colour- Black , digital keypad with an LED light	1	0	
4	BFSI	Billing Machine	2-inch Thermal Printer, Product Dimensions 30 x 15 x 10 cm; 999 g Batteries 2 AA batteries , Display Technology LCD Display Type LCD Power Source AC & Battery	1	0	
5	BFSI	Cash Counting Machine	Capacity: 650VA/360W, Input Voltage Range: 140 V ~ 300 VAC, Frequency: 50 Hz ± 10%, Output Voltage: 230 VAC Nominal, Transfer Time: Typical 4~8ms, Waveform (Battery Mode): Modified Sine Wave, Type: Sealed Maintenance Free, Charging Time: 6 Hours recover to 90% capacity, Battery Rating: SMF 12V /7AH x 1 Battery, Operating Temperature: 0°C-40°C,, Relative Humidity: 0 to 95% Non-Condensing, Noise Level: < 40dB	1	0	
6	BFSI	Tablet	Octa core, upto 2Ghz, 3GB (RAM) onboard, 32GB (ROM) emmc minimum 8" IPS panel (1340x800) WXGA Multi-Touch display, Dual speaker, Microphone, 1 Hybrid Micro SD cum SIM card Slot, Storage expandable upto 1TB, WIFI+BT 5.0, Front Camera 5MP, Rear Camera 8MP with Flash Light, Earphone, 5100mah battery,4G-SIM Slot with Calling and VoLTE support, Accelerometer, Light Sensor, Dimension - 211.3 * 126.6 * 9.1mm, Android™ 12.0, Type C Port and Adaptor, ABS Body, Colour - Silver, 1 yr Standard (1 Years Battery & Adaptor Warranty) , Made in India ,Octa core, upto 2Ghz, 3GB (RAM) onboard, 32GB (ROM) emmc minimum 8" IPS panel (1340x800) WXGA Multi-Touch display, Dual speaker, Microphone, 1 Hybrid Micro SD cum SIM card Slot, Storage expandable upto 1TB, WIFI+BT 5.0, Front Camera 5MP, Rear Camera 8MP with Flash Light, Earphone, 5100mah battery,4G-SIM Slot with Calling and VoLTE support, Accelerometer, Light Sensor, Dimension - 211.3 * 126.6 * 9.1mm, Android™ 12.0, Type C Port and Adaptor, ABS Body, Colour - Silver, 1 yr Standard (1 Years Battery & Adaptor Warranty) , Made in India ,	1	0	

7	BFSI	Projector Screen	Projector screen /Mat finish White boar , Wall mounted projector screen size of 6ft x 4ft & mounting accessoriness	1	0	
8	BFSI	Projector	Brightness: 4500 ANSI LUMENS Resolution: XGA Input Port: HDMI Ports x 2, USB-A x 1 (for power) Projection technology: DLP Speakers: 10W Minimum Light Source Life (In Normal Mode): 6000 hours. Product should be Make in India.	1	0	
9	BFSI	Barcode Scanner	2D & 1D Barcode Scanner (QR Code & Barcode) Wired & Wireless(Rechargeable) Connectivity   Induction Scanning with Built-in Illumination Light  Strong ABS, Power Source DC, Connectivity Technology (Wireless)2.4 Ghz, USB Cable, Wireless 2.4GHz & Wired Connectivity, Rechargeable Battery for Long-Lasting Performance, with Offline Storage (Up to 1.5 Million Barcodes),	1	0	
10	BFSI	Biometric Access	Combo Includes:- Color TFT screen Biometric , Magnetic Lock/EM Lock Single 600 LBS 12V DC with LED, Exit Push Button-,LAN (TCPIP) , Battery Backup attendance machine with Auto Push Technology-Screen:- 2.4" Color Screen, authentication methods:- Fingerprint, Password, EM Card,Fingerprint Records:- 3000 , Max. Attendance Records :- 200000 , Include Time Bell, Include Door Access Control, USB Interface , Power Supply:- DC-5V, Verification Speed:- <0.6s-	1	0	
11	BFSI	Laptop	Processor: AMD Ryzen 3 7330u/ intel i3, Display: 14" FHD, Memory: 8GB DDR4, Storage: 512GB M.2 NVME SSD, TPM: Hardware TPM 2.0, Other features: Light Weight : 1.35 Kgs, Metal- Aluminum Body, Hardware TPM 2.0, MIL -STD 810H Qualified, 180° Hinge design, Acer Smart System Manager, Battery: 36 Whr, OS: Elinux, Warranty: 3 Years (One year on Battery & Adaptor), Ports: 1 HDMI , 1SD Card Slot, 1 Gigabit LAN port, 1 USB 3.2 Gen 2 Type C (Full function supports display over Type C & charging) , 2 USB 3.2 Type A [1 with power off charging]	1	0	

12	BFSI	Fire Extinguisher	Package Contents-1 Fire Extinguisher,1 Wall Hook, 1 Discharge Pipe.ISI, ISO and CE Certified Product and Multipurpose Uses DCP, BC Type fire extinguisher 6 Kg with 5 years Warranty,DCP Powder Type (Stored Pressure) Fire Extinguisher, BC Classes uses and DCP Type Fire Extinguisher capacity-6 Kg, with 5 years warranty.	1	0	
13	BFSI	Smoke Detector	LED current @24Vdc(mA)-5,Alarm Load-180 Ohm,Stand by current Tested At-24V dc,Stand by current(microA)-20,Alarm Reset Time-3 second,Battery Powered-Yes,Holding Voltage (Min)-6 Volt,Max current consumption(mA)-10,Minimum Voltage To Light Alarm LED-12 Volt	1	0	
14	BFSI	Desktop	Intel i3/Ryzen3 5300G/8GBDDR4/512GB SSD/19.5 INCHES/ Windows 11 HOME 1vga+1hdmi+1DP port must 19.5 inches TCO 9.0 of same oem make One year onsite warranty. Asset management software of same oem make ISO 20000,27000,50000,SA8000 must from oem	1	0	
15	BFSI	UPS	UPS BVX600LI-IN, 230V. 1 year On-Site warranty	1	0	
16	BFSI	Calculator	Display - Digits 10 Operation Battery/ Solar Material Plastic Keys - nos 14 Type Heavy Duty	1	0	
17	BFSI	Printed Register	Dimension of Paper 297 X 210 mm Dimension of Cover 340 X 220 Grammage of Paper 60 gsm Grammage of Cover 150 gsm Number of Pages 92 pages	2	0	
18	BFSI	BFSI Document	Bank Guarantee 1 Deposit Slip 1 Withdrawal Slip 1 New Account opening form 1 Life certifica 1 KYC document updation form 1 DD Slip 1 Loan Form 1	2	0	
19	BFSI	First Aid Kit	Standard	1	0	
<b>Electronics</b>						
Item Number	Sector	Item Title	Item Description	Quantity		

1	Electronics	Clamp Meter	Type Hand Held Display 4 digit Backlit LCD Measurement, Type-True RMS count 6000 Resistance Measurement Range1000 kiloOhm Resistance Measurement Accuracy (+/-)0.5 percent Frequency Measurement Range 10 kiloHertz Frequency Measurement Accuracy (+/-) 0.1 percent AC Current Measurement Range 1000 Ampère AC Current Measurement Accuracy (+/-)1 percent AC Voltage Measurement Range750 Volt AC Voltage Measurement Accuracy (+/-)1 percent DC Current Measurement Range1000 Ampère DC Current Measurement Accuracy (+/-)1 percent DC Current Measurement Accuracy (+/-)1 percent DC Voltage Measurement Range1000 Volt DC Voltage Measurement Accuracy (+/-)1 percent Safety RatingCAT IV 300 V of IEC 61010 - 2-D31 2 years On-Site Warranty.	1	2	
2	Electronics	Digital Multimeter	DC Voltage Range1000 Volt DC Voltage Accuracy 0.5 percent DC Voltage resolution 0.1 milliVolt AC Voltage Range 1000 Volt AC Voltage Accuracy 1 percent AC Voltage resolution 1 milliVolt DC Current Range10 Ampère DC Current Accuracy 1 percent. 2 years On-Site Warranty	2	3	
3	Electronics	Electric Drill	Dimensional Parameters Rotary Hammer Drill is designed for punching of holes in hard material through the use of firing machnism -- Yes Weight of the hammer drill in KG - 3, Performance Parameters Power supply - 230 V, Power Rating in Watt - 800, Rotation speed of the Hammer (in rpm) -1500, Noise level in db when working within 1 metre distance 89 Db. 2 years On-Site Warranty	2	3	
4	Electronics	Lead Solder	Material Specifications-: Shape Square Application hot dip soldering Composition 60/40 Tin/ lead, Dimension Length 120mm Thickness 12 mm Width, Specification Shelf Life 18 month	2		
5	Electronics	Microwave Oven	Capacity / Volume (Litres)20. Grill Heating Power(Watts)1001-1200. Heating time adjustment Pitch(seconds)10. Convection heating-Yes, Touch contol pannel-Yes, Adjustment of microwave power-Yes, Finish of heating chamber-Stainless steel, Grill heating-Yes, Rotisserie rack-Yes.	1	1	

6	Electronics	Elec. Screw Driver Set	Head Style - Hex, Material- Bone China, Set of 38 pcs as mentioned, Package content: 23 screwdriver bits, L = 25 mm, PH 0/1/1/2/2/3, PZ 0/1/1/2/2/3, S 4/6/7, HEX 3/4/5/6, T 15/20/25/40 7 nutsetters of diameter 5/6/7/8/10/11/13, 4 Allen keys 3/4/5/6mm, 1 universal holder, magnetic, 1 torch, 1 hand screwdriver(clockwise/counter clockwise) adjustable angle, 1 adapter for nutsetters Item Dimensions LxWxH 25x13.8x3.5	1	2	
7	Electronics	Soldering Flux	Compatible Material Plastic Sn63/Pb37, Soldering solder paste, circuit assesmly sealed mechanic. Weight- 35 gms	2	4	
8	Electronics	Pipe Wrench	Normal size of Pipe wrench (in mm) 200, jaw thickness of pipe wrench (in MM) 28, maximum capacity of pipe wrench (in mm) 26, minimum capacity (in mm) 25 Approx. length of handle in mm 200	2	3	
9	Electronics	Elec Soldering Iron	Temperature range 200- 450, No. of channels (Minimum) -2, Power consumption- 150 W - 300W, Soldering iron rating (minimum) -90 W, Desoldering iron rating (minimum)- 90W, Power supply -230 V, Out put voltage- 24 V, Display-LED. 1 year On-Site Warranty	2	3	
10	Electronics	Elec Spanner Set	12 In 1 Combination Socket Wrench Set with 1/2 inch Drive Ratchet Spanner Car Repair Tool Set 8,10,12,13,14,15,17,19,21,24 mm Sockets Set Can work for most household appliances Complete socket spanner set deluxe nut socket adapters	2	3	
11	Electronics	TDS meter	Calibration -Manual, Dissolved Oxygen (DO)-No, DO % Stauration-Yes, Conductivity-No, Resistivity-Yes, Total Dissolved Solids (TDS)-Yes, Oxidation Reduction Potential (ORP)-No, Temperature-Yes, TDS Measurement Range ( in parts per thousand or g/l )0-800 pH, Number of Sensors / Electrodes-Single Electrode,	4	3	
12	Electronics	Water Pressure Gauge	Measuring Units PSI, Measurement Range (kg/cm2)0 to 10, Measurement Range (Bar)0 to 6.0, Measurement Range (millibar)0 to 250, Measurement Range (kPa)0 to 250, Measurement Range (MPa)0 to 0.6, Measurement Range (PSI)0 to 200, Scale Interval of the Gauge / Resolution 0.05	2	3	

13	Electronics	Radiation leakage tester	Calibration: 2450MHz, Measurement Range: 0-9.99mW/cm <sup>2</sup> , Warning: 5mW/cm <sup>2</sup> , Accuracy: (+/-)1db, Power Supply: 1 * 9V Battery. 2 years On-Site Warranty	1	2	
14	Electronics	Water purifier Ro , Uv and UF tech.	Multiple purification by RO+UF+TDS Control process which removes even dissolved impurities such as arsenic, rust, pesticides & fluorides,water 100% pure drinking TDS control system allows adjustment of tds level of purified water which retains essential natural minerals in drinking water TDS control system allows adjustment of tds level of purified water which retains essential natural minerals in drinking water UV LED in the storage tank to keep purified water pure for longer periods Wall-mountable design to be suited for domestic purposes Country of Origin- India Water level indicator to keep a track of purified water in the storage tank 20 litres per hour purification capacity, 8 litres storage capacity. 3 years On-Site Warranty	1	1	
15	Electronics	water purifier UV + UF	6 Stages of purification with high water storage capacity of 7 litres.Water Flow Rate:550 to 650 ml/minute, Patented Active Copper Technology provides goodness of copper in water UV e-boiling technology ensures that every drop of water is as healthy & safe as water boiled for 20 minutes Ultra Filtration imparts crystal clear clarity to your drinking water in addition to making is safe from viral & bacterial contaminations. UV+UF removes viruses Patented Mineral Guard Technology to retain essential minerals in your water 1 year warranty* Booster Pump is required for the functioning of water purifier in case of inlet water pressure being less than 0.3kg/cm sq. 3 years On-Site Warranty	1	1	
16	Electronics	Hand Gloves	Electrical Insulated Rubber Gloves Set of 2 for both hands in one packet	5	10	
17	Electronics	Plier	Type of Hand Tool Side Cutting Pliers as per IS 4378, Type of Insulation-Plastic Insulation, Shape of Handles-Bowed handle, Type of Joint-Lay-on joint, Type of Gripping Surface Plain, Type of Cutter-End Cutter	5	8	

18	Electronics	Wire Stripper	Overall Length-127 millimeter, Stripping capacity (Diameter)-5 millimeter. Convenient hole for looping or bending wire, Ideal for cutting, stripping speaker wire, appliance cords, etc. Slide adjust for various gauge wire	5	8	
19	Electronics	Ammeter	No. of Phase (In put)Single Phase support, Range of measurement0 A to 60 A, Size of the meter ( in mm x in mm)72 x 72, IP protection class (as per IS/IEC:60529:2001)IP 52, Operating tempreature0 to 50 deg C. 1 year On-Site Warranty	1	2	
20	Electronics	Electrical Tape	Electrical insulated tape Width of the Tape (mm)20, Length of Tape on a roll (meter)10	6	10	
21	Electronics	Duct Tape	Material- PVC, Insulation Waterproof, Flame Retardant for Repairing Spliced Wires, Cable Insulation, Wire Bundling, and a Great All-Around Household Tape Type PVC (Polyvinyl Chloride) , Tape Width (mm)16, Tape Length (Meter)8	6	10	
22	Electronics	Allen Wrench set	36-piece set of hex keys for tightening or loosening screws; includes SAE and metric sizes. Set Includes 18 long hex keys (1/16", 5/64", 3/32", 1/8", 9/64", 5/32", 3/16", 1/4", 5/16", 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 4.5mm, 5mm, 6mm, 8mm); 18 short hex keys (1/20", 1/16", 5/64", 3/32", 7/64", 1/8", 5/32", 3/16", 7/32", 1.27mm, 1.5mm, 2mm, 2.5mm, 3mm, 3.5mm, 4mm, 5mm, 5.5mm) Made of durable chrome vanadium steel for rugged strength and rust resistance; black oxide finish 2 hinged cases included, complete with dedicated slots for secure storage and clear size markings for quick, easy access Measures 6.4 X 2.5 X 1.7 inches	3	5	



23	Electronics	Wire Crimper	5 in 1 Multi Wire Stripper Tool 8" Self-Adjusting Automatic Cable Cutter Crimper. 8-inch Automatic Cable Cutter Crimper 5 In 1 Multipurpose Tool Wire Stripping 8. "5 in 1 wire stripper tool with cutter and crimper. It can easily cut off copper, cable, coaxial, thermal and aluminum wire. The wire stripper features convenience, efficiency and harmlessness to the cable cores. SELF-ADJUSTING WIRE STRIPPER: Come with self-adjusting jaws to strip wire from 10-24 AWG (0.2-6MM <sup>2</sup> ). The copper swivel knob is rotatable for precision adjustment of the two machined jaws to apply to different cables; and the adjustable gauge/stopper controls the length of core wire from 1/4" to 3/4". WIRE CUTTER & CRIMPER: Crimping insulated terminals-10-22AW (0.5-6.00mm), and non-insulated terminals-12-10AWG (4.0-6.0mm) 22-14AWG (0.5-2.5mm), auto ignition terminals 7-8mm. As well as wire cutting, the device is idea for trimming wires	3	5	
24	Electronics	Elec Tester	Type of Screw Drivers-Electric set with Neon Bulb(2Flat bits, 2 Phillips Bits,1 Pocker & 1 Knife Screw Driver Point Size or Tip Size (a x b) in mm x mm0.4 x 1.6 Shape of Blade Square Length of Blade in mm200.	3	5	
25	Electronics	Electric Circuit tester	Multifunctional Car Circuit Tester with LED, 3.5-36V AC/DC Car Power Tester with Buzzer, Electrical Tester Digital Display Short Circuit Finder for Continuity Testing, Trailer Lights Testing	3	5	
26	Electronics	Voltage detector or Voltage Test Tool	Product Dimensions LXWXH= 10 x 7 x 5 cm,Measurement Accuracy 9V - 30 V Item Dimensions LxWxH ? : ? 10 x 7 x 5 Centimeters. Induction type/contact 12V-250V AC 50-500Hz voltage test tool, Electrical Tools pen Circuit Tester. 2 years On-Site Warranty	1	2	
27	Electronics	Calculator	Desktop Calculator with Metallic faceplate & Bigger Screen/Keys (14 Digit)	1	1	
28	Electronics	Saftey goggle	Medical safety goggles made- polycarbonate Frame size - Medium Lens clear with adjustable strap	2	4	
29	Electronics	Electrician Scissor	Dual color, non-slip, insulating ergonomic handle Yes Foldable No Voltage rating in Volt 1000 Blade Material High carbon Steel Blade length: mm,45 ahandel Material Plastic	2	2	
30	Electronics	First Aid kit	Standard	1	1	

Food Industry						
Item Number	Sector	Item Title	Item Description	Quantity		
1	Food Industry	OVEN	Oven Toaster Griller with Rotisserie 19L- Potg 19 Pcr Drop down Crumb tray 4 Stainless steel heaters with with Product Dimensions 50D x 36W x 34H Centimeters ; Voltage: 23V; Wattage: 1380W , Temperature Control Range :1 - 25 degree C . 15 watts power ; Capacity: 19 litres, Cooking capability: Baking, Grilling, toasting Warranty: 1 year Rating: 4star	1	1	
2	Food Industry	SMALL REFRIGERATOR	refrigerator. Temp ranges -10c to 4c brand; SSU-168 SIZE 45L	1	1	
3	Food Industry	ELECTRIC MIXER GRINDER	Mixer Grinder   500-watt   20000 RPM Motor Speed   Air Ventilation System   Stainless-Steel Jars & Blades   Unique Jar Flow Breakers   2 Year Motor Warranty   , Blade Material Stainless Steel, Capacity 4 litres, Controls Type Knob, Item Weight 2900 Grams , Container Material Stainless Steel	1	1	
4	Food Industry	ELECTRIC HOT PLATE	Electric Coil HOT Plate with Dimension (in CM) (LxBxH) 33x28x12 Weight (in KG) :- 2.200 KG; One Year off Site Warranty ; Power Consumption 1250 Watt 230 V AC. Fitted with ISI Marked 'Theeta' Coil Heater; Less Power Consumption, Durable and Long Lasting. Heavy Duty Steel Body. Powder Coated Rust Resistant Shock Proof, Insulated Robust Steel Body Complete with Connecting Lead and Plug Heat Control Three Step 'Rotary Regulator' Switch.	1	1	
5	Food Industry	APRON	UNISEX Lab Coat with Material composition: Cotton; Care instructions:Hand Wash Only	2	4	
6	Food Industry	STRAINER	Multipurpose kitchen tool- Fruit Basket / Vegetable basket / Steamer / Rice Strainer / Washer; Product Dimensions 28L x 28W x 9H Centimeters; Item Weight: 0.57 Kilograms; Size Name: Medium	2	3	
7	Food Industry	CHEFS KNIFE SET	Knife set includes 1 - Boner Knife (25cm), 1- Utility Knife (23cm), 1- Steak Knife(22cm), 1-paring Knife(18cm), 1 - Kitchen Scissor (21cm) & 1 - Wooden Stand; Material: Stainless Steel; Warranty: 1 year	2	3	

8	Food Industry	WHISK	Stainless Steel Balloon Shape Whisk Is Ideal for Mixing Eggs, Sauces. Batter Mixing, Topping, Mixture of Ice, Sugar, Melted Chocolate and Fresh Cream; Material : Stainless Steel; Product Dimensions: 20cm x 6cm	1	2	
9	Food Industry	PEELER	Stainless Steel Vegetable fruit Peeler for kitchen Special Feature: Rustproof, Non Slip; Product Dimensions 19L x 2W Centimeters	2	3	
10	Food Industry	fry pan	Superior, "rust-proof", food-grade Tri-Ply Stainless Steel. It comes with a lid , The Core is made of heavy gauge aluminium which spreads heat evenly and prevents hot spots,The Base and Outer Surface is made of AISI 430 grade magnetic steel, works well on gas, ceramic, halogen, electric and induction cooktops; Capacity 1 litres	2	3	
11	Food Industry	LADLES	Made safe and durable from 100% food-grade stainless steel Heavy gauge material for easy handling Dimensions- Small Ladle: 250 X 64 mm, Depth: 22.5 mm, Weight: 74 gm and Capacity: 50 ml; Big Ladle: 283 X 73 mm, Depth: 26.5 mm, Weight: 101 gm and Capacity: 100 ml	2	3	
12	Food Industry	CUTTING BOARD SET	Chopping Board Material:wood having PRODUCT DIMENSION : 30 cm x 21 cm x 2 cm; Recommended Uses For Product Vegetable , Fruits; Shape: Rectangular.	2	3	
13	Food Industry	MEASURING GLASS set	different sizes for lab 50ml,100ml,200ml,250ml,500ml	2	3	
14	Food Industry	MEASURING SPOONS set	Set of 1/4 Tea Spoon, 1/2 Tea Spoon, 1 Tea Spoon and 1 Table Spoon. Perfect for measurement while cooking of material Stainless steel Dimension Of Product - 13.5x4.5 cm	2	3	
15	Food Industry	MEASURING CUPS set	Measuring cups for baking, cooking measuring; milk Measuring, measuring chemicals etc; CAPACITY: 50ml 100ml 250ml 500ml 1000ml plastic measuring cup set, which can meet different needs. EASY TO READ: Clear digital scale,easy to read the measured volume value	2	3	

16	Food Industry	MIXING BOWL	Mixing Bowl of Material Foodgradable Plastic ,Special Feature Microwave Safe; It's made up of Virgin Plastic, 100 percent food grade and BPA Free. It's ideal usage is mixing batters and dough.	2	3	
17	Food Industry	TONGS	Material : Standard Stainless Steel ; High Quality Material , Non corrosive , Strong , Durable , Long lasting , Sturdy; Product Dimensions 28L x 2W Centimeters; Item Weight 120 Grams.	2	3	
18	Food Industry	CUTLERY Set	Material: Stainless steel ; consist of spoon, Forks, knives, desse	2	3	
19	Food Industry	SMALL CUPS SET (STORAGE)	glass material 100g and plastic material 100g	2	3	
20	Food Industry	LARGE BOWLS	Stainless Steel Set of 6 Piece,Solid and Durable having Sizes - 3/4 , 1.5, 3, 4, 5, & 8 . Quart Stainless steel surface preserves the taste and nutritional qualities of foods and is safe for food contact.	2	3	
21	Food Industry	Baking pan	Baking tray 11x8.5x2 shape is rectangular color is silver material is stainless steel	2	3	
22	Food Industry	GRATER	Sharp, stainless steel blades for easy grating Body Material: Stainless Steel, Blade Material Type: Stainless Steel Special Feature: Sturdy Handle Provided for Holding; Product Dimensions 8.5L x 7W x 22H Centimeters; Item Weight 165 Grams	2	3	
23	Food Industry	POT HOLDERS	Multipurpose Bowl Plate Hot Pot Utensils Safe Handling Gripper Handle Tongs with Clip of Stainless Steel Material	2	3	
24	Food Industry	SPATULA set	Spatula consist of wooden material; set of kitchen items cooking accessories include various type of spoons such as pasta server, serving spoon, soup ladle, flat spatula and wok turner.	2	3	
25	Food Industry	VEGETABLE TRAY	Plastic material for storage purpose	2	3	
26	Food Industry	VEGETABLE MASHER	Stainless Steel material with comfortable handle	2	3	
27	Food Industry	LARGE SIZE BOWLS	plastic bowl capacity 2kg 1kg	2	3	

28	Food Industry	Vacuum packaging machine	2 in1 Electric Vacuum Sealer for Food Storage   Automatic Packing Sealing Machine with 10 food Bags   Household Kitchen Fresh Keeping food sealer Dry Moist Air sealing system, Material : ABS Plastic   Heating Wire   Upper Gasket   Vacuum Chamber   Single Seal Key   Suction Nozzle   Dimension: 37.3L X 7.0W X 8.5H   Weight: 0.41KG   Gross Weight: 0.64KG   Power: 90W, Voltage: AC100-240V/50-60Hz   Vacuum Degree: -60Kqa   Reinforced Housing Design Prevents air leaks during vacuuming	1	1	p
29	Food Industry	Weighing balance(1g-30kg)	Electronic weighing scale stainless steel material ,ISI approved digital display small scale (1g-1kg)quantity-1 large scale(up to 30kg)quantity -1 warranty 1year	2	3	
30	Food Industry	foil sealer machine manual	Manual Aluminum foil lid cap sealer Stainless steel material sealing diameter 100mm approx dimension 560x250x650mm weight 15kg approx, 220-240v power warranty 2years	1	1	p
31	Food Industry	Tofu hand press	Rectangular, Capacity: 1904 ml: Strainer Type: Mesh: Transparent monitoring design , Heat Resistant, Stain Resistant, Non-toxic materials, Dimensions: Width 6.5 inch, Height 3.3 inch, Weight 321 g	2	2	p
32	Food Industry	hand sealing machine	Material plastic. Sealing area material is stainless steel Item weight 1kg-2kg Power source corded electric Operation mode manual 12inch sealing machine, for PP,PE,plastic bags,aluminium bags, paper bags, time adjustment Warranty 1year	1	2	
33	Food Industry	Flour mill machine	1.25 HP Motor, Automatic machine. Stone size - 150mm, Output: 10 to 18kg/hour, Electric Motor - Single phase, 1.25 HP, 300-700W, Power Supply-230V, hopper capacity - 4.5 to 6.5 kg RPM-960/1440. Up to 70% Extra Energy Saving,	1	1	
34	Food Industry	Salt Testing Kit	Application For iodine testing kit/ table salt testing kit/ iodized salt testing kit Weight 50 gm Test Time 2-5 min	1	2	

35	Food Industry	bottles for oil storage	Plastic transparent bottles 200ml capacity	4	6	
36	Food Industry	Laminated tofu packaging pouch (of different sizes)	100g 200g (food grade hdpe plastic)	4	6	
37	Food Industry	Jam jars	glass 100g (transparent)and plastic 100g(transparent)	2	4	
38	Food Industry	Refractometer	range28-62brix and 0-32 brix resolution 0.2 brix body material fully copper, size (Lxdia) 157x40mm warranty 1year	2	2	
39	Food Industry	Digital food thermometer	ranges -50 to 300drgrec stainless steel thermometer	2	3	
40	Food Industry	muslin cloth	Color- white Thin cotton material	2	4	
41	Food Industry	silicon jelly mold (reusable)	sheet type mold material silicon size 21x15x5.5cm cavity size 5.5x5.5x5.5cm	2	4	
42	Food Industry	pen type pHmeter	lithium batteries are used in it DC 1.5VX4, model BSTPT14 upper part is plastic and digital display bottom part needle style(10-15cm) long	2	3	
43	Food Industry	large pot (patila)	10kg, 20kg material stainless steel	2	4	
44	Food Industry	Bottles for ketchup	glass 100ml(transparent) and plastic 100ml (transparent)	2	4	
45	Food Industry	Juice extractor	stainless steel material hand press juicer manual operated weight 1.5 kg minimum. it ias a heavy duty hand juicer machine warranty 1year	1	1	
46	Food Industry	fruit pulper	Single Stage, Semi automatic, 220V, 2 HP Motor, Mild Steel	1	1	
47	Food Industry	gloves	surgical gloves	2	4	

48	Food Industry	fruit dryer(small unit)	5 Stackable Stainless Steel Trays, Digital Adjustable Timer & Temperature Control, Food Preserver Machine with Drying Capacity for Fruits, herbs, Material Stainless Steel, Wattage 250 Watts, Product Dimensions 29.5D x 21W x 21.5H Centimeters, can set the temperature between 35~70°C and timer from 30 mins - 48 hours with 30 minutes interval	1	1	
49	Food Industry	Fruit mill crusher	MS Semi-Automatic Fruit Crushing Machine Capacity: 100 Kg Per Hr, Material MS, Automation Grade: Semi-Automatic, Motor 1 Hp, Power Consumption: 1000W, Voltage Supply: 220V	1	1	
50	Food Industry	autoclave	Vertical high pressure high vacuum steam sterilizer. Chamber size shall be minimum of 300 mm x 300 mm heightx4feet length, voltage 400-440v 3phase with neutral, ac power supply. 20 L minimum Guaranty 1year	1	1	
51	Food Industry	Table	Dimensions L *B* H = 3*6*2(minimum) Feet	2	3	
52	Food Industry	White Board	Steel Material	1	2	
53	Food Industry	First Aid Kit	Standard	1	1	
<b>Healthcare</b>						
Item Number	Sector	Item Title	Item Description	Quantity		
1	Healthcare	Semifowler Patient Bed	Type of bed - Fowler, Length- 2050mm to 2100mm, Width- 900mm to 950mm Number of bed platform sections - 4 for fowler bed Availability of Leg section-Yes Leg section linkage -welded with MS CRCA tube (16 G), Manual adjustments Backrest through two screw systems with thrust bearings individually manouvred by handle for semifowler bed. LXW= 1970 mm x 790 mm The bottom end of the H legs are provided with PVC shoes. NA in case of bed with castors Number of hooks in Telescopic I V Pole-4 Number of sections in mattress-4 for fowler bed Provision of collapsible Railing-Yes Size of Buffer in mm-100 Overall length of Back Rest-(mm)775-800 Overall length of Knee Rest-(mm)400-450 Overall width of Knee Rest-(mm)800-825 Overall width of Leg Rest-(mm)775-800 Overall length of Fix Section-(mm)100-150 Overall width of fix section-(mm)775-800 Colour of mattress cover-Blue Material of collapsing railing-SS	1	2	

2	Healthcare	BP Apratus digital(Automated)	Type Of SPHYGMOMANOMETERS or Blood Pressure recording unit Conformity to Indian Standrad for SPHYGMOMANOMETERSNA for digital Measuring device Type ISI MARKED Measurement Method Display for Digital BP instrument Inflation Deflation and rapid Air ReleaseAutomatic Pressure Release Valve Cuff RangeMedium (22-32)cm Power Source:Either Charageble Battery Set Or {220 Volt, 50 Hz AC Supply } Type of AA Size chargeable Battery (AA Size)Alkaline Warranty of device (Years)3	1	2	
3	Healthcare	Glucometer	Reproducibility of device (%)5 Number of sets of Glucostrip and lancet in a bundle:50 Warranty of Device(Years)-1 Availability of safety certifications - FDA (US)/CE (EU) -- BIS/ISO:13485 & ISO: 15197: CE(EU) Weight of device-40gms Size of blood sample (Micro litre)-1 Shelf life of gluco strips (Months) at the time of supply-12 month	1	2	
4	Healthcare	Dust bin 10 Ltr 4 colour	Capacity of the bucket (Itrs)-10 Material of the outer bucket & Internal Sieve-HDPE Material of castor wheels-HDPE Number of castor wheels-2 ISI Marked-No	1	2	
5	Healthcare	Hot water bottle	Rubber material- 1.5 L	1	2	
6	Healthcare	PPK (Personal Protective Kit)	Generic Specifications Packing: Air Sealed Free Size: Fits for XS to L breathable:Yes	1	2	
7	Healthcare	First Aid Kit	Standard	1	2	
8	Healthcare	Thermometer Manual	Enclosed Scale, Mercury In Glass clinical thermometer whether the Clinical Thermometers conforming to IS:3055(Part2):Yes Temperature range of the clinical thermometer35 degree to 42 degree C and 94 degree to 108 degree F Overall length (mm)-125	2	4	



9	Healthcare	Thermometer Digital	Type of display with minimum 3 digits-LCD Type of tip-Fixed Time for measurement of temperature(Sec)-65 Weight (gm)-10 Warranty (Yrs)-2	1	2	
10	Healthcare	Privacy Screen	Partition provided with curtain Provision of folding arrangement-3 Folds Construction of middle section: In 2 pcs and joined together at middle Number of hinges(to join panels)-6 Frame Material-CRCA pipes of 19.05 mm (outer dia) X 1.22 mm thickness Base material-MS tubes of 25 mm (outer dia) X 1.22 mm thickness Castors wheel-Polymer wheel castors Hinges material-MS Hooks material-SS 304 Overall height-1680 mm Overall width-2440 mm Side panels width (if specified)-550 mm Middle panels width (if specified)-1210 mm Curtain type-Specially coated fabrics which do not allow any bacteria to hold on it Curtain material-Cotton fabric Warranty period(Years)-3 Test reports to be furnished to buyer's on demand-Yes OEM of offered product is ISO 9000: 1certified-Yes OEM of offered product is ISO 14000: 1certified-Yes OEM of offered product is ISO 18000: 1certified-Yes Product having BIFMA certification-Yes	1	2	
11	Healthcare	NEBULIZER WITH MASK	High Nebulization Rate of 0.4ml/min ensures optimized treatment duration. Small Particle Size of MMAD 3µm to reach lower airway for effective nebulization. Aerosol Output 0.4ml. Aerosol Output Rate 0.06ml/min. 7 ml medication capacity with minimal residual medication.	1	2	
12	Healthcare	WEIGHING MACHINE	Electronic weighing machine with a capacity of 10Kgs Battery Type-Rechargable Dimensions of weighing machine (L X W X H ) in mm x mm x mm;-180x230x80 Weight-3.2 kgs	1	2	
13	Healthcare	White bedsheet	Bleached/White Bed Sheets: 255 centimeter x 150 centimeter (L x W)	3	6	

14	Healthcare	Pillow with pillow cover	Length 700 millimeter Width 400 millimeter Height of pillow at center 170 millimeter	3	6	
15	Healthcare	Stethoscope	Length of Y tubing(cm)-45; Diameter of the Binaural tube:6 mm; Chest piece material:Stainless steel, Binaural tube material- Drawn Brass conforming to IS 407-1961; Diameter of Chest piece,Diaphragm Side (mm)- 20; Finish of Binaural tube-Chrome plated over nickle conforming to Grade C of IS:1068-1958; Detectable Sound frequency range (Hz)-1100	2	4	
16	Healthcare	Pulse oxymeter	Type- Finger; SPO2 probesTip- Reusable; Oxygen saturation Range-0-100%; Pulse Rate-25-240 BPM; Display of SPO2 and PR- digital display with plethysmograph; Warranty in Years(without Probe)-1	2	4	
17	Healthcare	Tongue depressor	Type- L Shape; Material-SS; Blade-Serrated; Sterility-Non Sterile; Usage-Reusable and Autoclavable; Dimensions(LxWxT)(mmxmmxmm)-130x19x2	2	4	
18	Healthcare	Ophthalmoscope	Light Source-LED Bulb; Type of rechargeable battery- Li-ion, Capacity of the battery(mAH)- 100; Weight-350gms, Warranty(years)-1	1	2	
19	Healthcare	Vacutainer	Material-Polypropylene, Shelf Life-12months, Sterility-Sterile, Length-4inch, Width-0.78inch	2	4	
20	Healthcare	SPUTUM CUP	Clear and Transparent Bottle; Type of Cap: Plastic cap;Type of Mouth:Wide; Air Sealed: yes; Leakproof: yes; Capacity (ml):30, Sterile & Disposable: Yes Material of Bottle: Polypropylene(Medical Grade) Packing: Individually packed Labelling on Bottle for Identification: yes	10	20	
21	Healthcare	ARTERY FORCEPS	Conformity to Indian Standard: IS 3645:1992 For Spencer Wells Artery Forcep Type of Artery Forcep: Crile Artery Forcep Material: Stainless Steel of 400 series (406/410/420/431) Jaw Pattern: Curved Overall Length: 200 millimeter Warranty: 1 year Purpose: Artery forceps are used for controlling bleeding and for the retraction of tissues, skin, etc. Artery forceps are also called as Haemostatic forceps	2	4	

22	Healthcare	SUGICAL SCISSOR	Types of Scissors: Operating Scissors Material of scissors: Stainless Steel Blade Shape: Sharp Size of scissors: 203 millimeter Warranty:1 Year Scissors design: Ring loop; Finish: Satin Serrated: Yes; Auto-clavable; Sterility: Yes; Weight: 10 gram; Reusable or Disposable	3	6	
23	Healthcare	PROCTOSCOPE	Material and finishing compliance: ISO 7153-1(2016) ; Compliance to standardISO-13485 (Latest) Diameter-24 mm; Length-55-65mm Sterile,Polished, Non-Reusable; Proctoscope type: Adult Proctoscopes; Material: Plastic; Instrument classificaton:Class I; Shaft shape: Straight; Variant: Flute ended Additional Features: Hollow Handle,Disposable,Rust resistance,with Led illumination,Rotating Locked and latex free Packing size: Polybag; Weight(gram)-25 Warranty-1 year	2	4	
24	Healthcare	ENDOTRACHEAL TUBE	Inner Diameter(mm)-5.5 Tube Length (mm)-275 Material of ET Tube (Non-toxic, Medical Grade)-100% PVC Cuff ShapeBarrel  Disposable,Tube should be sterile and ready for use, Shelf life (Years)-4; The product should have at least 2/3 rd of the total shelf life at the time of supply	2	4	
25	Healthcare	CHEATLE FORCEPS	Material: Medical Grade Stainless Steel; Size (inch)-8; Weight (gm)-150 to 175; Firm Grip while holding items, Corrosion resistant and fine finish; Shape of the shank-"S"	4	8	
26	Healthcare	CPR Dummy	It shall be equipped for imparting trainings on:Chest Compression depth,CPR Training,Combined CPR and Airway Training: Yes Functionality/Features available in manikin:Mouth to mouth ventilation,Bag Mask Ventilation,Chest compression indicator,Manual pulse,Jaw Thrust,Variable chest Stiffness,Airway Hygine system Feedback on chest compression depth level Type of manikin- Upper Torso Manikin Accessories to be supplied: Manikin jacket, integrated training mat along with carrying bag, Face Pieces and 50 Hygiene Bags.  Each Manikin should be packed individually with all accessories in one easy to carry bag.	1	2	

27	Healthcare	REFLEX HAMMER	Handle Material -Steel Overall Length -7.5" Material -Stainless Steel/Brass	4	8	
28	Healthcare	TUNING FORK	Item Weight -:210-230 grams Size Set of 128, 256 & 512 Hz Specification Met -Specification for this product family,Finish Type Mirror Finish Material- Steel Specific Uses For Product- Medical Diagnosis Style -Medical Tuning Fork	4	8	
29	Healthcare	Red blanket	Wool Blankets size 229cm X 140cm(LxW)	2	4	
30	Healthcare	LARYNGEOSCOPE PE	Laryngoscope is to be supplied in Leather / hard case preferably HIP (High Impact Plastic) with internal soft cushion material for easy portability and protection Utility: Adult Clinical purpose. To view the vocal cords and glottis and to facilitate tracheal intubation Shape of Blade:Curved; Number of blades included:4; Finish of Blades:Matt Number of Handles included:1; Type of Handle:Standard; Handle with Universal Adapter for Interchangeable blades: Yes The manufacturer shall provide instructions for cleaning and disinfecting /sterilization of the blades, handles and any removable components Disposable:No; Sterilization/Disinfectant:Yes	1	2	
31	Healthcare	OTOSCOPE	Light source: LED bulb Number of Spare bulbs to be provided along with the otoscope-1 Number of sets of different sizes of Ear Specula to be provided along with otoscope-2 Magnification-2x Voltage Rating of the bulb (Volts)(Min)-2.5 Type of rechargable battery-Li-ion Capacity of the Battery (mAh)-100 Continuous runtime of the battery (Minutes)-250 Weight (gms)-175 to 450	1	2	

32	Healthcare	B.P. Appartus Manual	Type Of SPHYGMOMANOMETERS or Blood Pressure recording unit: Mercurial Conformity to Indian Standrad for SPHYGMOMANOMETERS: IS:3390 latest for Mercurial "Type: Mountable/Fixed; Inflation:Manual; Deflation and rapid Air Release: Manual " Power Source: AA size chargeable battery set, Warranty Period (in Year)-1	1	2	
33	Healthcare	Test Tube		2	4	
34	Healthcare	N95 Mask	ISI Marked Yes Exhalation Type Without Valve Disposability Reusable Color White Mask Securing Method Earloop	10	20	
35	Healthcare	Disease Charts	Size of educational chart - inch 20 x 30 Shape of the chart - Rectangular Type	2	4	
36	Healthcare	Bio medical waste collection bag	Capacity 50 litres. Recommended Uses For Product Biohazard Waste, DRY WASTE. Material Feature Biodegradable. Item Form Bag.	5	10	
37	Healthcare	Kidney tray	Stainless Stell, 8 inches	1	2	
38	Healthcare	Hand towel	Product Dimensions: 140L x 70W Centimeters,	4	8	
39	Healthcare	Measuring Glass	Borosilicate Glass Beaker with Graduation Marks and Spout for Lab(Set of 4, 50ml,100ml,250ml, 500ml)	1	2	
<b>ITES</b>						
Item Number	Sector	Item Title	Item Description	Quantity		
1	ITES	Desktop	Intel i3/Ryzen3 5300G/8GBDDR4/512GB SSD/19.5 INCHES/ Windows 11 HOME 1vga+1hdmi+1DP port must 19.5 inches TCO 9.0 of same oem make One year onsite warranty. Asset management software of same oem make ISO 20000,27000,50000,SA8000 must from oem	3	5	

2	ITES	Printer	Type: Monochrome Laser Printer Functions: Print, Scan, Copy Supporting OS: Windows, MacOS, Linux Connectivity: USB Monthly Duty Cycle: 10000 pages (A4)   10000 pages (Letter) Print Speed: 20 PPM (Mono) Manual Two Sided Printing, Auto-off Technology, Intuitive Control Panel, Dimensions In CM (WxDxH)40.60 x 35.90 x 25.30, Dimensions In Inches (WxDxH)15.98 x 14.13 x 9.96,	1	1	
3	ITES	Headphone	Wired On Ear Headphones With Mic With 3.5 Mm Drivers, In-Built Noise Cancelling, Foldable And Adjustable For Laptop/Pc/Office/Home	3	5	
4	ITES	Extension Board	4-WAY-EXTENSION-BOARD	1	2	
5	ITES	Work Station - Furniture (Table and Chair)	Table - 600 mm x 450 mm x 760 mm height, work top and side panels are made up of Pre-laminated particle board of 17mm thick with 0.8 mm PVC edge binding all around the work top, the table should be provided with keyboard tray fitted with telescopic channel. Good Quality Chair	3	6	
6	ITES	Web Cam	Max Resolution: 720p/30fps Camera mega pixel: 0.9 Focus type: fixed focus Lens type: plastic Built-in mic: Mono Mic range: Up to 1 m Diagonal field of view (dFoV): 55° Universal mounting clip fits laptops, LCD or monitors	1	1	
7	ITES	Online UPS	2.0 KVA UPS with 4 batteries Rating in KVA (KVA) 2.0 KVA Output power Single phase 230V +/-1% sinewave 50 Hz Backup time (Minutes) 15 Minimum VAH (VAH) 1872 Warranty for UPS (Years) 1 Movable trolley for Batteries Without trolley but with rack Warranty for battery 1 Cabling 5 meters for input and out put Without 20% Overload limit for minimum 10 minutes Yes Overall Efficiency (%) >=90% 50% Overload limit for minimum 1 minutes Yes	1	1	

8		Router	AC1200 Mbps 4G+ Cat6 Mobile Wi-Fi Router Dual Band Wireless WiFi, 4G/3G Network SIM Slot Unlocked, No Configuration Required, Support Guest Network & Parental Control, Dual_Band	1	2	
<b>Physical Education</b>						
Item Number	Sector	Item Title	Item Description	Quantity		
1	Physical Education	Volley ball	Shape Spherical ,Circumference 65 Centimeter,Weight 260 GM,Material Synthetic leather,Thickness 1.3 millimeter,Material of Bladder inside : Rubber,Stiching Thread -Linen Stiching thread as per is 417 Colour Blue	3	0	
2	Physical Education	Volleyball Net	Material of Net Cord Nylon,Circumference of the cord of the Net 10 mm,Rope/Cord tie with the port on both side Nylon,Material of the Band at top, Bottom and Side white Canvas,Length of the Net - 10meter,Breadth of the Net - 1 meter,Size of Mash -10 cm,Colour - white	3	0	
3	Physical Education	Basket Ball	Material of Ball - Leather,Shape- Spherical,Material of Bladder - Natural Rubber,Lining cloth -Nylon Size -7 outer surface of the ball shall be made for toxic free leather or rubber material with ball circumference range from 749 mm to 780 mm and mass of 567 gms to 650 gms	3	0	
4	Physical Education	Badminton Net	Material of net cord - Nylon,Rope thread to tie with post on both sides - Nylon,Length of net 6100 mm,Depth of net 760 mm,Breadth of the tape at top 75mm,Size of mash 20 mm,Colour of the Net Dard Brown	2	0	
5	Physical Education	Badminton racket	Handle Material- Aluminium Alloy,Head Material- Aluminium Alloy,Frame is String Pattern,Length of the racket - 65 cm,Width of the racket 13.7 cm,Grip Perimeter 120mm,Head Size 665 cm,Beam 20 mm	3	0	
6	Physical Education	Cricket Kit	Size of Bat (sticking part) 420 mm X 100 mm,Size of Bat handle -200 mm,Diameter of ball -65 mm,Size of stumps - 630 mm X35 mm (dia),Size of stump stand (Stump stand provided with hole to fit the stumps properly) ,Size of bails (to keep properly on stumps)- 90 mm Length,Weight - 650 gms Material - Willow wood	2	0	

7	Physical Education	Carron board	Material of Carron Frame hard wood with good resistance,Size of Playing Surface (Side of Square) 73.5 cm to 74 cm,Thickness of Playing Surface (Min) 8 mm,Water proof Playing surface Rosewood Frame	2	0	
8	Physical Education	Gym Mat	Gym mat thicikness 25 - 30mm,Material synthetic rubber and EVA foam,Size of the Individual tiles excluding borders 1m * 1m,Density 130kg/cubicmeter,Top layer is antislip,Bottom layer is antislip and water resistance	2	0	
9	Physical Education	Yoga Mat	Material Nitrile butadine rubber,Length 180 cm,width 60 cm,Thickness 8 cm,Weight 0.8-0.9 kg,Non slip, Washble and Biodegradable	3	0	
10	Physical Education	Skipping ropes	Plastic Skipping Rope 7 Meter,Material - Plastic,Handle Material - Plastic,Rope Length,(m) - 7,Rope thickness,(mm) - 6,Handle lenght,(mm)- 18,Handle thickness,(mm) - 9,Good grip by the handle	5	0	
11	Physical Education	Knee Caps	Features of braces and splints Flexible,Type of opening Stretchable Elastic, Sleeve Type,size X- Small,Small,Medium,Large,X- Large,XX- Large,Braces length in mm 230,Braces width in mm 125,Weight in gm 108,Type of packing box, Material - Neoprene	12	0	
12	Physical Education	Boxing gloves	Size small/medium,colour black,materaial faux leather,materaial faux leather,Glove type training.	5	0	
13	Physical Education	Javelin	Overall Length 2200 milimeter,Width of Cord Grip 160 mm,Mass ( Inclusive of Cord Grip) 800 gms,Distance from tip of metal head to centre of gravity- 800 millimeter,Diameter of shaft at thickest point- 25 millimeter, Material - Aluminum Alloy	4	0	
14	Physical Education	Digital Weighing Machine	Format of displaying the measured weight Digital Fonnat Bettery type Lithium Battery Measuring Range (Kg) 0 10 120 Minimum Graduation/Resolution (grams)100 gram,Accuracy in grams [ ] 100 gram Reading Time (Seconds/5 second All vital parts made of rust proof material: Yes, Tare Feature: Yes,Anti-Skid Feature: Yes	1	0	



15	Physical Education	Hula Hoops	Multicolor PVC Hula Hoop Ring in PVC material	5	0	
16	Physical Education	Tennis Ball	Type 2 (Medium) Material of the Felt: Wool Colour of the Ball: Yellow, Set of 3.	2	0	
17	Physical Education	Measuring tape 30 meter	Measuring Tape 30 Meter, For Measurement	1	0	
18	Physical Education	Measuring tape 50 meter	Measuring Tape 50 Meter, For Measurement	1	0	
19	Physical Education	Volley ball officiating chair	Mild steel volleyball referee chair Material:- Mild Steel	1	0	
20	Physical Education	Volley ball covering net	Material:- Nylon, Dimension:- Length:- 60 Meter, Height:- 7 Meter	1	0	
<b>Plumber</b>						
Item Number	Sector	Item Title	Item Description	Quantity		
1	Plumber	Pipe Wrench	Nominal Size of Pipe wrench (in mm)300	3	5	
2	Plumber	Parrot Plier	Bent Nose Pliers as per IS 3552 (in mm) 165	3	5	
3	Plumber	Slide Wrench	Nominal size of Wrench (length in mm) 375	3	5	
4	Plumber	ADJUSTABLE Die Set Complete	n the Box :- 40pc Tap and Die tool set Adjustable top wrench (3mm to 12mm) The coarse and fine taps and dies feature a tapered design, allowing for seamless and effortless creation and rethreading of both internal and external threads. Containing one tap and die in each of the following sizes- A) Dies: - M3 x 0.6 - M4 x 0.75 - M5 x 0.9 - M6 x 1.0 - M7 x 1.0 - M8 x 1.25 - M10 x 1.5 - M12 x 1.75 B) Dies: - M3 x 0.5 - M4 x 0.7 - M5 x 0.8 - M6 x 0.75 - M7 x 0.75 - M8 x 1 - M10 x 1.25 - M12 x 1.5 1/8NPT PLUS :- 1 long handle adjustable Tap Wrench - 1 T Handle tap wrench , 1 Die Handle , 1 Screw Driver and 1 Screw pitch gauge	1	2	
5	Plumber	Hacksaw with Handle	Blade length (standard) 12 inch with hard plastic handle	3	5	
6	Plumber	Pipe vise	Material of Jaw plates Tool- Steel Material of Body and jaw body- Steel Casting Material of Screw spindle and handle-Steel	3	5	
7	Plumber	Screw Driver Set	Set of Screwdriver in pcs 8 No. of Flat tip screwdrivers tip 5 No. of Philips screwdriver tip 3	3	5	
8	Plumber	Spanner Set	Double Open end Spanner 17x19 Indian Standard 2028 of all sizes.	3	5	
9	Plumber	Allen Key Set	Allen Key set of 12 different Sizes	3	5	

10	Plumber	Drill Bit Set	Metal Drill Bit Set 12 different sizes Drill Bit Sets	2	4	
11	Plumber	Electric Drill Machine	WQIP Corded Brushed Electric Drill 750 Watts, 2 years On-Site Warranty	1	2	
12	Plumber	Caulking Tools	Steel Half-Open Caulking / Sealant Gun-330mm	1	2	
13	Plumber	Hand Tool Kit	Items included in Hard metal box; Hammer , Measuring tape, Plumb bob, L-square, Spirit level, Hacksaw, Chisel, Screwdriver, Marker etc.	1	2	
14	Plumber	Water meter	Aquamet Class A Inferential Type Single jet Domestic Type Water Meters of Size 25 mm	1	2	
15	Plumber	Powered pipe threading machine	Portable Hand held electric pipe threading machine 1/2" – 1-1/4" (32mm). 2 years On-Site Warranty	1	2	
16	Plumber	Tap or Faucet	Steel Glossy Finish Hot and Cold Water Bib Cock/ Water Taps (Silver, 1/2", 15 mm)	1	2	
17	Plumber	Shower Hand Complete	Bathroom Hand Shower ABS plastic 150 mm	1	2	
18	Plumber	Wash Basin	Vitreous China Sinks / Wash Basins Other Pattern Rectangle 1*B*H 40MM*40*40	1	2	
19	Plumber	Flushing Tank/ Cistern	Lever Type Flushing Cistern Single Flush System 10 LTR material PP	1	2	
20	Plumber	Urinal	FRP urinal cabin with Fixed Flat back urinal - designed to fix in the wall with a screw i.e low in weight and small in shape. Material ceramic	1	2	
21	Plumber	Bench Vise	Cast Fixed base bench vice. Grey cast iron conforming to minimum grade FG 200	1	2	
22	Plumber	Pipe bending machine	Bending Former Size Set ( 1/4 inch ,3/8 inch ,1/2 inch ,3/4 inch ,1 inch ,1-1/4 inch ,1-1/2 inch ,2 inch ,2-1/2 inch ,3 inch ,3-1/2 inch ,4 inch ,4-1/2 inch ,5 inch ,5-1/2 inch ,6 inch) Product Weight 150 kilogram Product Height 15 inch Product Depth 18 inch Number of Formers provided 10 Product Width 60 inch Power Source Hydraulic Pump. 2 years On-Site Warranty	1	2	
23	Plumber	Pipe cutters	Pipe Cutter with Ratchet Cutting Action Pipe Cutter are hand-held cutting tool used to cut small diameter pipe	1	2	

24	Plumber	water pressure gauge	Measuring Units PSI, Measurement Range (kg/cm <sup>2</sup> )0 to 10, Measurement Range (Bar)0 to 6.0, Measurement Range (millibar)0 to 250, Measurement Range (kPa)0 to 250, Measurement Range (MPa)0 to 0.6, Measurement Range (PSI)0 to 200, Scale Interval of the Gauge / Resolution 0.05	1	2	
25	Plumber	Pencil	Set of - nos 10 Graphite sketch pencils as Per Yes Length 12 cm	1	2	
26	Plumber	Angle Grinder	Rated Power Input 2200W,Voltage 120V-230V ,maximum disc Dia 180/230mm, Net Load capacity 5000-6000rpm	1	1	
27	Plumber	Spirit level	Application to indicate Surface material Alluminium,Rubber Dimensions 20 x 5 x 2 cm Weight 0.23 Kilograms Easy to read Yes	1	2	

Private Security

Item Number	Sector	Item Title	Item Description	Quantity		
1	Private Security	Fire Extinguisher CO2	Item Weight : 9 kg,Item Dimensions LxWxH : 58.4 x 10.2 x 58.4 Centimeters,Included Components : 1 Fire extinguisher	1	0	
2	Private Security	Hand Held Metal Detector	Material: Acrylonitrile Butadiene Styrene,Length Total (overall) (mm) 350 millimeter,Probe Width / Dia (mm) 70 millimeter,Body Width / Dia (mm) 32 millimeter Weight (grams) 200-250 gram	1	0	
3	Private Security	Under Chassie Inspection Mirror	Lighting system Embedded with LEDs . 12 V rechargeable Ni-Cd/Li-ion battery along with battery charger.Mirror Type Convex,Shape of mirror Circular,Mirror size (cm) (Diameter in case of circular and length x width in case of rectangular) 27.94 dia dia of wheel = 5cm water proof power coated steel	1	0	
4	Private Security	Rescue Stretcher	Unfolded Size of the stretcher (L x W x H ) (in cm) with tolerance of $\pm 2$ mm = 205 x 53 x 13,Number of folds which can be made 2,Material of the Stretcher frame Powder Coated Mild Steel,Material of the Support bed of the foldable stretcher Vinyl Coated Nylon Fabric wt=4	1	0	
5	Private Security	Fire Fighting Hook	Fire Hook Specification Conforming to IS:927 latest,Hook Head Material Forged Steel ( medium carbon steel conforming to IS : 2004),Hook Head Hardness (in HVN) 190	2	0	
6	Private Security	Fire Fighting AXE	Item Dimensions LxWxH : 40 x 50 x 270 Millimeters, Included Components : Bag	1	0	

7	Private Security	Fire Beater	Extinguishing Media Water Based,Expellant Medium N2 Based (Stored Pressure),Type of Extinguisher Low Pressure Extinguisher (Service Pressure $\leq$ 19 bar)	1	0	
8	Private Security	Fire Fighting Bucket	Capacity - 9 L,Color -Red,Closer-Unifrom/Work wear,Fire Extinguishing Type A, B,Matriral-Iron/Light Weight & Comftable,Portable-Yes,Hight- 38*40*42,Weight- 500 gm to 2 Kg	1	0	
9	Private Security	Uniform worn by Security Guard	Fit Type: Regular Fit,Normal Wash,Size- 36,38 Material Type: Polycotton Sleeve Type: Full Sleeve	4	0	
10	Private Security	first aid kit	Box containing bandages, Plaster, Swabs, eye dressing, Scissors, cotton roll, Triangular bandage, antiseptic liquid, cream, Microporous tape,Tweezer,savloon,Dettol Shop,Hand Sanitger, Small Band Aid,Tarmametter,Moov Spry	1	0	
11	Private Security	Public addressing system	Amplifier with clock frequency 1.86GHz Public Address System with Pen Drive,Microphone input Nominal level 14 mV at 3.3 k $\Omega$ (MIC power supply voltage 2.5 V),Line output Nominal level 0 dB and 0.775 V,Floating contacts 2 inputs for floating contacts (each capable of reading 5 level inputs),Control input 0 - 10 V, for controlling the volume remotely,Relay output (switch-over contact) 30 V/1 A, 100000 switching cycles,Audio output 70 V/100 V,Extension plug WIRELESS dimension=290x298x190 weight=920 gm	1	0	
12	Private Security	Seat Harness	Colour Green,Material Polyester,Fabric Type polyester Weight= 2400 gms(+100/-100gms) Unisex Polyester Full Body Seat Harness Climbing Safety Belt	1	0	
13	Private Security	One way mask	N95- 5 Layer Face Mask Quantity: 60 Per School	30	0	
14	Private Security	Climbing rope	Nylon,Rope Diameter 6 millimeter,Length of rope in Coil 100 meter	4	0	
15	Private Security	Firefighting Rope	Nylon,Rope Diameter 6 millimeter,Length of rope in Coil 100 meter	4	0	
16	Private Security	Tracking Rope	Material Nylon, Size =7 feet, weight=150 gm	1	0	
17	Private Security	Ladder	Bottom Width 15 inch, Reach Height- feet 11 ft, Ladder Closed Height 8ft, Ladder Open Height 8ft, Steps upto 18-20, Material Aluminium, Load Capacity=150 kg	1	0	

18	Private Security	Almirah	Material M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008(Fifth Revision)Amdt. no.1, Material of Almirah Doors M S Sheet, Length of Glass Sheet (+/- 10 mm) 780 mm, Width of Glass Sheet (+/- 10 mm) 305 mm	1	0	
19	Private Security	Mat	Width-61 cm (+5/-5),Height-183 cm (+10/-10),Thickness-4MM mm (+1/-1)	1	0	
20	Private Security	Hand gloves	Electrical Insulated Rubber Gloves Set of 2 for both hands in one packet	4	0	
21	Private Security	Carabinar	Colour Silver Material Iron Shape D-Shape Product Dimensions 10.4L x 5.8W Centimeter	2	0	
22	Private Security	Rappling Gloves	Climbing Gloves, For Men & Women, For Camping & Hiking.	3	0	
23	Private Security	Laptop	Processor: AMD Ryzen 3 7330u/ intel i3, Display: 14" FHD, Memory: 8GB DDR4, Storage: 512GB M.2 NVME SSD, TPM: Hardware TPM 2.0, Other features: Light Weight : 1.35 Kgs, Metal-Aluminum Body, Hardware TPM 2.0, MIL -STD 810H Qualified, 180° Hinge design, Acer Smart System Manager, Battery: 36 Whr, OS: Elinux, Warranty: 3 Years (One year on Battery & Adaptor), Ports: 1 HDMI , 1SD Card Slot, 1 Gigabit LAN port, 1 USB 3.2 Gen 2 Type C (Full function supports display over Type C & charging) , 2 USB 3.2 Type A [1 with power off charging]	1	0	

**Retail**

Item Number	Sector	Item Title	Item Description	Quantity		
1	Retail	Display Racks	Shelves Material 1.0 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513 M S Sheet Thickness of Shelves and Back (Minimum) in mm 1.2 Sides, Back and Partition Wall Thickness (Minimum) (mm) MS Sheet 1.0 mm Angle Posts Material and size Rolled steel angle posts of 40 X 40 X 3 mm	2	3	

2	Retail	Multipurpose Racks	<p>OPEN TYPE</p> <p>Number of Shelves/Compartments (Top / Ceiling Shelf - not to be counted) 6</p> <p>Shelves Material 1.2 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513</p> <p>Depth in mm (<math>\pm 5</math> mm) 450</p> <p>Width in mm (<math>\pm 5</math> mm) 900</p> <p>Height in mm (<math>\pm 5</math> mm) 1905</p> <p>Paint Stove enameled</p> <p>WARANTEE PERIOD IN NUMBER OF YEARS 2</p>	1	2	
3	Retail	Hanger stand	<p>Colour Black</p> <p>Style Modern</p> <p>Material Metal</p> <p>Furniture Finish-Bronze, Dimensions-110 x 40 x 150 cm; 1.7 Kilograms(+100/-100gms)</p>	2	3	
4	Retail	Peg hooks	<p>Material :Stainless steel , Size 15 inch, Thickness 4 mm</p>	2	3	
5	Retail	Catelouge holder	<p>Colour Black</p> <p>Style Foldable Display Stand Rack</p> <p>Item Dimensions LxWxH 15 x 18 x 12 Centimeters</p> <p>Finish Type - Powder Coated Material: Steel</p>	2	3	
6	Retail	Display Wall Shelves	<p>Material M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1</p> <p>Material of Almirah Doors M S Sheet</p> <p>Sheet Thickness of Locker 0.7 mm</p> <p>Length of Glass Sheet (+/- 10 mm) 350 mm</p> <p>Width of Glass Sheet (+/- 10 mm) 305 mm</p> <p>Sheet Thickness of door 0.8 mm (Minimum)</p> <p>Sheet Thickness of sides,back , Top and Bottom 0.8 mm (Minimum)</p> <p>Sheet Thickness of Shelves 0.6 mm</p> <p>Sheet Thickness of Pedestal in mm 0.8 mm (Minimum)Height (Without Pedestal) (in mm) (+/- 10 mm) 1980</p> <p>Width (+/- 7 mm) 760 millimeter</p> <p>Depth (+/- 5 mm) 486 millimeter</p> <p>Inside Height of Locker (+/- 5 mm) 290 mm</p> <p>Inside Width of Locker (+/- 5 mm) 380 mm</p> <p>Inside Depth of Locker (+/- 5 mm) 430 mm</p> <p>Width of Stiffner (+/- 5 mm) 125 mm</p> <p>Thickness of MS Sheet of Stiffner 0.6 mm</p> <p>Stiffened Pedestal height in mm (<math>\pm 2</math> mm) 120</p> <p>Pedestal Width in mm (<math>\pm 2</math> mm) 70</p>	1	2	

7	Retail	Demo Counter	Product Dimensions 179.2D x 30.5W x 76.2H Centimeters Colour White Frame Material Aluminium Top Material Type Acrylonitrile Butadiene Styrene Furniture Finish Aluminium Assembly Required	2	3	
8	Retail	Shopping Cart	Product Dimensions 82D x 48W x 93H Centimeters Colour Orange Material Metal Item Weight 10- 12 Kilograms	2	3	
9	Retail	Mannequines	Female dummy consists of 6 parts: a head, a torso, 2 arms, 2 legs, a tempered glass base and aluminium joint. Head can be adjusted up and down in 60°, and rotated horizontally in 360°. Arms can also be rotated in 360°. Foldable, Mannequin is mainly made of environmentally-friendly PE plastic.	1	2	
10	Retail	Mannequines Type Hanger	Colour ; White Material ; Plastic Size: Medium Item Dimensions ; 12x25x12	2	3	
11	Retail	Calclater	Type of Display LCD No. of digits (Min) (Nos) 12 Power Source Battery and Solar (Dual) Memory Capacity(Min) (Frames) 101 Power Source , Numerical Keys , Mathematical Function Keys(min) Battery and Solar (Dual) 0,1, 2, 3, 4, 5, 6,7,8,9, . , 00 &radic; , &divide;, %, &times;, =, -, + Dimensions- L14XB12.3XH3cms	2	4	
12	Retail	Display Board	Width of Board in mm 1200 mm Colour(Front/ Display layer) Green Height of Board in mm 900mm Rear panel material of Board Galvanised iron sheet Overall pinability depth of Board in mm 12 millimeter Core material thickness in mm(N >= 9) 9 millimeter Orientation Landscape Type of Front Cover Without front cover Warranty in years 1	1	2	

13	Retail	Stool	Adjustable stool with hydraulic frame Cushion : black Table top size: 80 cm * 38 cm(min.) Height rang: 76 cm -106 cm Primary Material: Metal Secondary Material: Plastic Features: • Polypropylene Seat • Height Adjustable • Stable flat base • Footrest	4	8	
14	Retail	Ladder	Reach Height, 8 feet Ladder Closed Height 8 feet Ladder Open Height 8 feet Material Aluminium Type Self Supporting Strength Type Strong Number of Steps minimum 15 steps Include Locking System.	1	1	
15	Retail	Display Almihra	Sheet Thickness of door 0.8 mm (Minimum) Size 6*4 feet Sheet Thickness of sides, back , Top and Bottom 0.8 mm (Minimum)each Sheet Thickness of Shelves 0.7 mm Sheet Thickness of Pedestal in mm 0.8 mm (Minimum) Material of Lock:- lock having made of steel with zinc plated finish having brass levers. Shelves required	1	2	
16	Retail	Stock Almihra	Material M S Sheet conforming to Quality Grade D of IS:513/2008 with amend. no. 1 (Not as per IS 3312) Material of Almirah Doors M S Sheet Sheet Thickness of Locker:- Standard Length of Glass Sheet (+/- 10 mm)Standard Width of Glass Sheet (+/- 10 mm) Standard Size 6*4 feet Shelves Required	1	2	
17	Retail	Clipper hanger	Colour Steel Material : Stainless Steel Size 31 X 0.3 X 9 cm	2	4	
18	Retail	Signage Boards	Material -Acrylonitrile Butadiene Styrene, Acrylic Mounting Type Wall Mount Item Dimensions LxWxH 30 x 0.5 x 8 Centimeters	1	2	
19	Retail	Glowing Signage Board	Package Dimensions : 30 x 10 x 0.3 cm; Description on the glowing board : Retail Lab GSSS (Name of school as per the list of retail sector schools)	1	2	



20	Retail	First Aid Box	Item Dimensions LxWxH 27.9 x 33 x 7.6 Centimeters Bandage, Adhesive plaster, Sterile gauze swab, Eye dressing, Sterile Wipes, Dressing, Scissor, Absorbant cotton roll, Triangular bandage, Antiseptic Liquid, Antiseptic cream, Microporous Tape, Examination Gloves, Pain relief spray provided, Tweezer	1	1	
21	Retail	Palleets	Top deck sizes (Length X breadth) 1200 mm X 900 mm Top deck length $\pm 5$ mm 1200 mm Bottom section size in mm 1200 mm X 900 mm Bottom section length $\pm 5$ mm 1200 mm Bottom section breadth $\pm 5$ mm 900 mm Warrantee period in number of years 1	1	2	
22	Retail	Bar Code Scanner	Type Corded Form Factor Hand Held Scan System 2D Imager Scan Rate (Scans per second/ frames per second) 500(+10/-10) On Site OEM Warranty (Year) 3	1	2	
23	Retail	Tagging gun	Type of feed Pressure feed Spray Gun Working Air Pressure 28- 30 psi Max weight of the spray gun with cup in grams 450-500 Capacity of the paint cup/container in ml 180-200 Fluid (paint) output in l/min upto 200 (+10/-10) Air Consumption Rate in litre /Min upto 100 (+10/-10)	1	2	
24	Retail	Billing Machine	Printing Speed- 58mm/s (+2/-2) Bluetooth Receipt Printer, 58mm Portable Mobile Thermal Printer, 2 Inch Bluetooth Receipt Printer, Compatible with Android Windows. Green Friendly Bluetooth Receipt Printer, compatible ESC/POS print commands.Supports the connection of BT/USB. Lightweight and Portable:Bluetooth portable receipt printer	1	2	
25	Retail	Vaccum Cleaner	Vacuume level 230 millibar Airflow rate (ltrs/Sec) 50-53 Suction Hose length 2 meter Floor Nozzle size 50 millimeter Types of Cleaning operation Wet and Dry Duty Cleaning Container Capacity 30 liter Warranty 1 year	1	2	

26	Retail	Mops	Handle Material -Aluminium Base Frame Material- Aluminium Base frame Size- 304 mm (12") Nominal Outer Diameter of Handle (mm)- 19 millimeter Length of Handle 1219 mm (4')	1	2	
27	Retail	Dustpan	Material Polypropylene Front Edge Rubber (Rubber Lip) Pan Length (mm) 250 (+10/-10) Pan Width (mm) 200(+10/-10) Pan Depth (mm) 50(+5/-5) Length of Handle (mm) 100(+5/-5)	1	2	
28	Retail	Protection vest	Material-Polyster It has 360 degrees visibility, Standard Size, It is Perfect accessory to be visible under poor light conditions or emergency Reflective jacket.	1	2	
29	Retail	Eye protection gear	Style Casual Lens Material Polycarbonate Item Dimensions LxWxH 13 x 18 x 5.5 Centimeters Ultraviolet Light Protection UV Protection	1	2	
30	Retail	Ear protection gear	Specification-:Conformity to Specification IS 9162 latest Material of Ear Protector Cotton Fiber Sound Attenuation Requirement of Group A Weight of Ear Protector (gm) 14.5	1	2	
31	Retail	Helmet	Style Safety Helmet Colour Yellow Item Weight 1.45 Kilograms(+20/-20gms) About this item Head band is made of non-irritant and soft fabric Nape adjustable headband, Integral rain channel,	2	4	
32	Retail	Soap Dispensers	Type of Dispenser Wall Mount Dispenser Mechanism of Dispenser Push Button Height of Dispenser (mm) 250 (+10/-10) Width of Dispenser (mm) 195 (+10/-10) Depth of Dispenser (mm) 178 (+10/-10) Capacity of Dispenser (ml) 1000	1	2	
33	Retail	Masks	ISI Marked Mask, N 95 Mask	2	4	
34	Retail	Lifting Gloves	Type of Glove -Disposable surgical, Sterilized, Single Use, Size (Number) 6.5, Thickness 0.24 millimeter, Material Natural gloves latex powder free Set contains 12 number of gloves	1	2	

35	Retail	(Flex)Documents Posters	Expandable Poster Tube : The storage tube could expand from 17.7" up to 28.4" and the diameter is 2.56", includes an adjustable carrying strap. Poster Transport Tube with Lock, water proof and light resistant. Strong and Lightweight Telescoping Drawing Tube, Material:- rigid plastic.	1	2	
36	Retail	Customer feedback form	Dimensions : 19.05 x 1.93 x 23.5 cm, 75 GSM(+5/-5). Glossy White paper. Booklet contains 100 forms	1	2	
37	Retail	Daily Log Book	Log Book 60 GSM (+5/-5). 148 x 210 mm (Length X Width) Log Books Or Pads. Log book contains 200 pages.	1	2	
38	Retail	Purchase Order Book	Purchase Order Book 60 GSM(+5/-5). 148 x 210 mm (Length X Width).Purchase Order Book contains 200 pages.	1	2	
39	Retail	Tags/label/Brand Name tags	The vintage tags are perfect for clothing tags, price tags, gift tags, student words cards, bookmarks tags. Ideal Arts and Crafts Stationery. Multifunctional, and come with the string for easy hanging Size: Approx. 5.2x5.2cm/2.04x2.04inch	2	4	
40	Retail	Retail Floor Mats	Type: Grass mat , Size 14*14 feet , Grass Height 40 mm, Colour Green Material: Plastic.	1	2	
41	Retail	Fire Extinguisher	Multipurpose protection: Fights Class A, B, and C fires and is UL rated 2-A:10-B:C ISI, BIS Mark, ISO and CE Certified Product and Multipurpose Uses ABC Type fire extinguisher 2 Kg with 1.5 years Warranty ABC Types Fire extinguishers are effective for all types of fire like Class A, B and C types of fires as well as Electrical fires and also ABC Powder Type (Stored Pressure) Fire Extinguisher Use monoammonium phosphate extinguishing agent; Metal pull pin with a safety seal to help prevent accidental discharge and tampering; Corrosion resistant, easy to read, color coded metal gauge; Waterproof label with easy instructions Package Contents-1 Fire Extinguisher, 2 Wall Hooks with screws, 1 Discharge Nozzle	1	1	

Telecom						
Item Number	Sector	Item Title	Item Description	Quantity		
1	Telecom	Cleaver	Coating Diameter 0.25&0.9mm Fiber Diameter 125um Cleave Angle 0.5 Cleave Length 0.25mm fiber 9~16mm 0.9mm fiber 10~16mm 2 years On-Site Warranty	1	0	
2	Telecom	Connector	Optical Adapter Connector Single mode/Multimode Coupler Flange Type Fiber	2	0	
3	Telecom	Protection Sleeves ( Fibre Glass Electrical)	Sleeve Diameter 6 millimeter Material of Sleeve fiber glass Length of sleeve 1000 millimeter Wall thickness 0.4 millimeter	27	0	
4	Telecom	Clamp Spring	Material Nylon-Fiberglass Item Dimensions LxWxH 11.5 x 5 x 2 Centimeters	1	0	
5	Telecom	Screw Drivers	Material: Steel Color: Green and Yellow Package Contents: 1-Piece (Two in One Screw Driver) 1 Year Standard Product Warranty Tip dimensions: 2 philips, 6.0 x 0.8 mm Blade length: 250 mm Blade diameter: 6 mm	2	0	
6	Telecom	Pliers	Material-Metal Item Dimensions LxWxH 17 x 6 x 3 Centimeters Colour Yellow & Blue Handle Material -Thermoplastic Rubber Item Weight 0.66 Pounds	2	0	
7	Telecom	Optial Fiber Stripper	Package Dimensions : 17.5 x 7.5 x 1 cm; Item Weight : 140 g	2	0	
8	Telecom	Round Tube Cutter	Material Alloy Steel Item Dimensions LxWxH 15 x 5 x 1 Centimeters Handle Material Rubber	2	0	
9	Telecom	Gloves	Material Nylon Colour 1 Item Dimensions LxWxH- 12x12x12(in mm)	4	0	

10	Telecom	Tele Masks	Classification of filtering Half mask N95 Type of mask valve less Use Single ISI Marked Yes Mask construction material Entirely inseparable fillter material Weight of single mask (gms) 8	4	0	
11	Telecom	Gogles	Frame Size Large Lens Material Polycarbonate Lens Color Clear Anti-fog lens coating Yes Scratch resistant lens Yes Soft and Comfortable with indirect venting and provides good seal with the skin of the face Yes Shroud Material PVC Adjustable Strap (clips) Yes Strap (cloth) Material Polyethylene terephthalate (PET) Strap (loop) Material Polycarbonate	4	0	
12	Telecom	Cables (Optical Cable)	Fibre count 6 Jacket material LSZH Fibre type Single mode OS2 Operational temperature range -20 deg C to +60 deg. C Storage temperature range -20 deg C to +60 deg. C Type of tube / no. of tube / no. of core per tube Multitube/12/12 Cable Armouring Unarmoured	6	0	
13	Telecom	Cable (Twister Pair Cable)	CAT6 CABLE DATA CABLE PVC 4 Telecommunication Cable Conductor diameter Nominal (Range) (mm) 0.6 Number of pair (Number) 4	5	0	
14	Telecom	Cable (Co-Axial Cable)	Solid (Inner Conductor) Radio Frequency Co- Axial Cable Warranty Period(in Years) 3 Type Designation Type 75-7-2 Inner conductor material as per Cl. 3 of IS:5802 (Part 2):1975 latest Copper Shape of inner conductor Solid Dielectric core type Solid polyethylene Outer conductor material single braid of plain annealed copper wire Outer protective sheath PVC Compound	6	0	

15	Telecom	Basic Electronic Components (Diode)	ZENER DIODE IN 4744A	15	0	
16	Telecom	Basic Electronic Components (LED)	PGSA2Z™ 3mm LED Light-Emitting Diode Set of 30 - Red(10pcs) + Yellow(10pcs) + Green (10PCS)	12	0	
17	Telecom	Basic Electronic Components (Register)	Metal Film Resistor Over Load 42000 centiVolt	9	0	
18	Telecom	Soldering iron	Availability of On Board Circuit for 10. Others Number of variable DC power supply available on board 1 Availability of DC Voltmeter available on board Yes Availability of DC Ammeter on board Yes. 1 year On-Site Warranty	2	0	
19	Telecom	Tester	Tip Width - Tolerance +/- 0.18 mm Blade Diameter 3 millimeter Weight 30 gram	3	0	
20	Telecom	Multi meter	DC Current : 200μA/2mA/20mA/200mA/10A(5 Ranges), Accuracy ±1.5% AC Voltage : 20V/600V(2 Ranges) Accuracy :±1.2% DC Voltage : 200mV/2V/20V/200V/600V(5 Ranges), Accuracy ±0.8% Resistance : 200Ω/2kΩ/20kΩ/200kΩ/2MΩ(5 Ranges), ±1.0% Transistor HFE PNP & NPN : 0~1000, Diode & Continuity	1	0	
21	Telecom	Power Meter	Optical Power Meter Fiber Optical Power Meter Laser Cable Db Tester Optic Ftth Telecom Catv High Power Test Ftth+25 To-50Db Fc/Sc Power Meter Optical Fiber, Telecom Tester(2000 Counts, Blue) Battery_powered High power range -50~+26 dbm, Wave ID nm: 850,980,1300,1310,1490,1550,1625 User self calibration function, Comfortable LCD display and optional backlight LCD display supports night operation, Power measurements in dBm or mw and insertion loss in dB.	1	0	

22	Telecom	Tool pouch	Closing type Zipper Shape Rectangular Type with pockets Number of pockets (internal , external ) Waterproof- No, Trolley included- No, Body Material- fabric, Dimension at least 24x24x8 cm	5	0	
23	Telecom	Wire Crimper	Product Dimensions : 10 x 10 x 10 cm; 385 Grams Item Dimensions LxWxH : 10 x 10 x 10 Centimeters Included Components : Metal	1	0	
24	Telecom	Electrical tapes	ISI Marked Yes Internal diameter of the cores on which the tape is rolled (mm) 20. Length of tape-7meter	5	0	
25	Telecom	Model Stand	Dimensions at least-95x95x10 cm , Colour- White, Weight-3500gm (+100/-100) ,Material - plastic semi gloss ,purpose - for promotion/Display items	1	0	
26	Telecom	Black/White Board	Lightweight Aluminium Frame, 2x3 Feet, Regular steel(Magnetic) whiteboard for schools	1	0	
27	Common	Desktop	Alntel i3/Ryzen3 5300G/8GBDDR4/512GB SSD/19.5 INCHES/ Windows 11 HOME 1vga+1hdmi+1DP port must 19.5 inches TCO 9.0 of same oem make One year onsite warranty. Asset management software of same oem make ISO 20000,27000,50000,SA8000 must from oem	1	0	
28	Common	UPS	Capacity: 650VA/360W, Input Voltage Range: 140 V ~ 300 VAC, Frequency: 50 Hz ± 10%, Output Voltage: 230 VAC Nominal, Transfer Time: Typical 4~8ms, Waveform (Battery Mode): Modified Sine Wave, Type: Sealed Maintenance Free, Charging Time: 6 Hours recover to 90% capacity, Battery Rating: SMF 12V /7AH x 1 Battery, Operating Temperature: 0°C-40°C,, Relative Humidity: 0 to 95% Non-Condensing, Noise Level: < 40dB	1	0	
29	Common	Service/User Manual	Printed Manuals, Includes: Installation guides, troubleshooting steps, maintenance instructions, Compatibility: Specific to equipment models and software tools, Format: A4 size, binding optional.	1	0	

30	Common	Programme Authentication	Printed Form, Features: Secure fields for authentication codes, user credentials, Format: A4, customizable templates, Compatible with digital signing tools.	1	0	
31	Common	Customer feedback form	Printed/Digital Form, Features: Fields for ratings , comments, and suggestions, Format: A4, customizable layout, Compatible with digital submission tools.	1	0	
<b>Tourism &amp; Hospitality</b>						
Item Number	Sector	Item Title	Item Description	Quantity		
1	Tourism & Hospitality	Crockery Set (Crockery Set)	Specifications:- Utensils in Dinner Set- Full Plate ,Half Plate ,Bowls ,Rice Plate ,Serving Spoon ,Donga, ,Spoons..., Donga lid Provided, Round in shape, Shape of Rice Plate Oval, Shape of Bowl Round, Shape of Soup Bowl Round, Number of Full Plate in Dinner Set(in pcs)-6, Number of Full Plate in Dinner Set(in pcs)- 6, Number of Half Plate in Dinner Set(in pcs) 6, Number of Bowl in Dinner Set(in pcs)-12, Number of Rice Plate in Dinner Set(in pcs)-1, Number of Donga in Dinner Set(in pcs)-3, Number of Serving Spoon in Dinner Set(in pcs)-4, Number of Spoon in Dinner Set(in pcs)-6, Full Plate Size-Minimum 25 cm, Half Plate Size-Minimum 15 cm, Bowl Capacity-Minimum 100 ml, Bowl Capacity-Minimum 100 ml, Donga Size-Minimum 500 ml, Colour-Printed, Material: Magnesia porcelain/Ceramic/ bonechina	1	2	
2	Tourism & Hospitality	Desert Plates	Product Dimensions : 18.8 x 18.8 x 2.3 cm; 840 Grams, : 18.8 x 18.8 x 2.3 Centimeters. Dimensions should not less then as given above. 6 Full Plates, Pink Floral Design Unbreakable Plates (Pink, 11 inches) -Set of 6 Pieces,	1	2	
3	Tourism & Hospitality	Dinner Plates	Specification :-Product Dimensions : 28 x 28 x 2.2 cm; Item Weight : 1 kg 700 g, Item Dimensions LxWxH : 28 x 28 x 2.2 Centimeters.( Set of 6) Material- Ceramic	1	2	



4	Tourism & Hospitality	Wine Glass	Wine Glass : Design on Glass Tableware-Plain, Nominal Capacity of Glass Tableware For Liquid (ml)-250, Top Diameter of Glass Tableware(mm)-80, Bottom Diameter of Glass Tableware(mm)-50, Height of Glass Tableware(mm)-200.Dimensions should not less then as given above Quantity: 6 in nos Material: Glass	8	16	
5	Tourism & Hospitality	Beer Glass	Beer Glass: Design on Glass Tableware-Plain, Nominal Capacity of Glass Tableware For Liquid (ml)-350, Nominal Capacity of Glass Tableware for Solid (gm)-325, Top Diameter of Glass Tableware(mm)-70, Bottom Diameter of Glass Tableware(mm)-80,Height of Glass Tableware(mm)-140.Dimensions should not less then as given above. Quantity: 6 in nos Material: Glass	8	16	
6	Tourism & Hospitality	Goblet Glass	Goblet Glass: Package Dimensions : 27.8 x 27.4 x 17.8 cm; Item Weight : 1 kg 540 g, Net Quantity : 6 count, Included Components : Set of 06 pieces Dimensions should not less then as given above	5	10	
7	Tourism & Hospitality	Pilsner Glass	Dishwasher Safe, Colour- Clear, Material- Glass, Capacity- 300 Milliliter .Set of 06 pieces	5	10	
8	Tourism & Hospitality	Normal Glasses	Normal Glasses:- Colour- Transparent, Material Glass, Capacity- 350 Milliliters, Item Dimensions- LxWxH 6.4 x 12.6 x 12.6 Centimeters, Theme- Floral, Item Weight 720-750 Grams. ( Set of 6 )	5	10	
9	Tourism & Hospitality	Cutlery Set	Material - Stainless Steel, Finish Type - Madrid Hammer Finish, Colour- Silver,Item Weight - 1.20-1.25 Kilograms, Stain Resistant , Dishwasher Safe .set of 18 pieces	1	2	
10	Tourism & Hospitality	Linen	Table Napkins: Colour White 12 in numbers Size Table Cloth- (142x182 cm),Material- Cotton , Pattern -Solid	4	8	
11	Tourism & Hospitality	T & H Apron	12 in numbers ,Design- Plain, Color- White, Size-Medium,Material- Cotton, Closure Ties at Back.	10	20	

12	Tourism & Hospitality	Cook's Cap (Torque)	12 in numbers Colour -White, Item Weight- 50-60 grams, Material- Cotton, Material Composition- PolyCotton, Size - 10 IN.	10	20	
13	Tourism & Hospitality	Round and Rectangular Service tray	Size- 16 Inch, Material- Plastic, Colour- Iconic Black , Item Dimensions- LxWxH 15 x 15 x 10 Centimeters, Item Weight- 350 Grams, Shape- Round, Microwaveable , Pattern- Solid. (Set of Round and Rectangular) 6 in numbers	5	10	
14	Tourism & Hospitality	Storage Cabinet	Type of Locking (Doors and Drawers)- Central locking, Thickness of Top Pannel (mm)- 0.7 mm, Thickness of Bottom Pannel (mm) 0.7 mm , Thickness of Back (mm) 0.7 mm, Thickness of side Pannels (mm) 0.7 mm , Thickness of Shelves Pannels (mm) 0.6 mm , Thickness of door Pannel (mm) 0.6 mm thickness ,Overall Height ±10(mm) 1830 millimeter,	1	2	
15	Tourism & Hospitality	Pasta Plate	Product Dimensions : 10 x 10 x 5 cm; Item Weight : 190-200 g . Set of 4 plates Material:Magnesia porcelain/Ceramic/ bonechina	3	6	
16	Tourism & Hospitality	Salt and pepper set	Material- Stainless Steel, Multiple Hole, Item Dimensions- LxWxH 50 x 50 x 80 Millimeters, Shape- Round, Closure Material- Stainless Steel.Set of 2 pieces	3	6	
17	Tourism & Hospitality	Dining Table and chairs	Color- Brown, Style- Modern Furniture, Table Features -Embossing and Engraving (6 Seater Dining Table Set with 6 Chairs) Material- Wood,Plywood	1	2	
18	Tourism & Hospitality	Chinese Bowl	Soup Bowls :Colour -White, Item Dimension- LxWxH 20.5 x 10.5 x 9 Centimeters, Pattern Contemporary Dishwasher Safe( Soup Bowl 12PCS SET ( 6X500ML SOUP BOWL, 6 SOUP SPOON, White))	3	6	
19	Tourism & Hospitality	Indian Soup Bowl	Indian Soup Bowl: Colour- Brown, Item Dimensions -LxWxH 10 x 10 x 5 Centimeters,Pattern- Modern Bowl Material-Wood. ( Set of 4)	3	6	

20	Tourism & Hospitality	Cereal bowl	Cereal bowl: - Product Dimensions : 18 x 8.5 x 18 cm, ( Set of 6)	3	6	
21	Tourism & Hospitality	Service bowl:	Service bowl:-Glass Solid Serving & Mixing Bowls with Lids, Oven & Microwave Safe Bowls, Set of 3 (500 ml + 900 ml + 1.3 L), Borosilicate Glass, Clear. ( Set of 6 )	3	6	
22	Tourism & Hospitality	Desert Spoon	Desert Spoon:- Package Dimensions : 16 x 7.2 x 2.6 cm; Item Weight : 45-50 g ..( set of 02 pieces ) Material: Steeless steel	3	6	
23	Tourism & Hospitality	Soup Spoons	Soup Spoons :- Product Dimensions : 13 x 3.8 x 3.8 cm; 400 Grams(+20/-20gms)( set of 06 pieces) Material: Ceramic/melamine	3	6	
24	Tourism & Hospitality	Butter Knife	Butter Knife: - Product Dimensions : 25.5 x 13.49 x 1.5 cm; 1.2 Kilograms(+100/-100gms) ( 03 piece set ) Material: Steeless steel	3	6	
25	Tourism & Hospitality	Serving Spoon and Service Plate	Serving Spoon:- Package Dimensions : 22.5 x 6 x 3.5 cm; 150 Grams, Service Plate: Product Dimensions : 12 x 5 x 6 cm; 70 Grams ( set of 02) Material: Steeless steel	4	8	
26	Tourism & Hospitality	Water Jug	Product Dimensions : 10 x 9 x 8 cm; 477 Grams Material: Glass	2	4	
27	Tourism & Hospitality	Tea Set	Number of cup in one Tea Set 6 pcs,,Number of Soucer in one Tea Set 6 pcs Number of Tea Pot in one Tea Set 1 pcs,Number of Milk Pot in one Tea Set 1 pcs Number of Sugar Pot in one Tea Set 1 pcs Material: Ceramic/ Bone China	1	2	
28	Tourism & Hospitality	Tea Pot	Product Dimensions : 22 x 12 x 13 cm; 740 Grams (+20/-20gms) Material: Ceramic/ Bone China	1	2	
29	Tourism & Hospitality	Entrée Dish with lid	Product Dimensions : 14 x 14 x 8.5 cm,Included Components : 1 Entree Dish 1 Lid, Material : Steel Copper	1	2	
30	Tourism & Hospitality	Oval Platter	Item Weight : 900-950 g, Item Dimensions LxWxH : 13.5 x 25 x 4.3 Centimeters, Net Quantity : 3.00 count, Included Components : Platter 3 Pieces, Material: Malamine	2	4	
31	Tourism & Hospitality	(India) Travel Book	Language : English, Paperback : 1000-1250 pages, Item Weight : 950-999 g Dimensions : 13.21 x 4.76 x 19.81 cm.	2	4	

32	Tourism & Hospitality	Maps	India Map Language : English, Poster : 1 pages Item Weight : 197 g, Dimensions : 74 x 51 x 0.4 cm	2	4	
33	Tourism & Hospitality	Himachal Pradesh Map	Language : English, Item Weight : 197 g, HIMACHAL MAP, Dimensions : 74 x 51 x 0.4 cm	2	4	
34	Tourism & Hospitality	Globe	Color- Blue, Product Dimensions 20 x 20 x 21 cm; Item Weight- 800-830 g, Included Components 1 Globe, 1 Magnifying Glass Material:Platic/ Metal	2	4	
35	Tourism & Hospitality	Compass	Item Weight- 250-272 g, Item Dimensions- LxWxH 10 x 11 x 6 Centimeters, Color-: Multi-Colour Material :Brass	3	6	
36	Tourism & Hospitality	First Aid Kit	contains bandages, Plaster, Swabs, eye dressing, Scissors, cotton roll, Triangular bandage, antiseptic liquid, cream, Microporous tape,Tweezer	2	4	
37	Tourism & Hospitality	Tent	Color- Multi, Included Components Tent, Material Type- Polyester, Number of Items -1,Size- L, Features- Portable, Waterproof,Sport Climbing, Fishing, Camping, Hiking Style 4 PERSON TENT, Item Dimensions - LxWxH 2.5 x 2.5 x 1.5 Meters	1	1	
38	Tourism & Hospitality	Plastic tray	Durable -use plastic rectangular snacks tea and water serving tray (16*12) inches	2	4	
39	Tourism & Hospitality	Hostess Dress and Hospitality steward dress	Restaurant Stewards Uniforms(Coat & Trouser	4	8	
40	Tourism & Hospitality	Tooth pic Holder	Standard	3	6	
41	Tourism & Hospitality	Table Napkin	size (e.g., 16"x16" or 20"x20"), c material (e.g., cotton, linen, or paper), and intended use (e.g., cocktail, luncheon, or dinner).	2	4	
42	Tourism & Hospitality	Picture of Destinations	Different tourist destinations	5	10	

## Annexure B: Bill of Quantities (BOQ)

Sr. No.	Sector	No. of Schools		Unit Cost (inclusive all taxes and levis) for Cat-1	Unit Cost (inclusive all taxes and levis) for Cat-2	Category Wise Total		Grand Total Cost Incl. of GST (7+8)
		Cat-1	Cat-2			Total Cat- 1 (3*5)	Total Cat- 2 (4*6)	
1	2	3	4	5	6	7	8	
1.	Agriculture	57	9					
2.	Apparels	17	0					
3.	Automotive	49	9					
4.	Beauty & Wellness	22	0					
5.	Banking, Financial service & Insurance	12	0					
6.	Electronics	33	2					
7.	Food Industry	14	9					
8.	Healthcare	110	2					
9.	ITES	82	4					
10.	Physical Education	4	0					
11.	Plumber	41	1					
12.	Private Security	3	0					
13.	Retail	36	5					
14.	Telecom	29	0					
15.	Tourism & Hospitality	64	10					
<b>Grand Total</b>		<b>573</b>	<b>51</b>					

**Particulars of The Participating agency**

1.	Name of company/participating agency	
2.	Office Address /Telephone No / Fax No / email id / website	
3.	Year of establishment	
4.	Status of the Company/participating agency	
5.	Name of Directors	i) ii) iii)
6.	Names of principle person concerned with this work with title and Telephone No / Fax/ Email Id, Etc.	
7.	Whether registered with the registrar of companies /registrar of firms. If so, mention number and date.	i) ii) iii)
8.	In case of change of Name of the Firm, former Name / Names and year/ years of establishment:	
9.	GST registration certificate	
10.	Whether an assessed of income tax. If so, mention permanent account number.	
11.	State Annual turnover of the company/participating agency Furnish copies of audited balance sheet and profit & loss account for the last financial year.	
12.	Particulars and place of similar type of works done if any in a single order (Furnish details in a separate sheet and enclose copy of the past order)	

Signature of Authorized Signatory

Place: \_\_\_\_\_

Date: \_\_\_\_\_

Address: \_\_\_\_\_

Mobile: \_\_\_\_\_

Email ID: \_\_\_\_\_

Proposal Covering Letter

To  
Deputy General Manager  
Broadcast Engineering Consultants India Limited  
BECIL Bhawan, C-56, A/17, Sector-62, Noida-201307

Reference: EOI No.<<>> dated << 202X>>

Dear Sir/Madam,

We, the undersigned, offer to provide Systems Implementation solutions to BECIL on <Name of the Systems Implementation engagement> with your Expression of Interest dated <insert date>and our Proposal. We are hereby submitting our Proposal, which includes our techno commercial proposal.

We hereby declare that all the information and statements made in this proposal are true and accept that any misinterpretation contained in it may lead to our disqualification.

We understand that the purpose of this Eoi is only to receive techno commercial proposal to receive budgetary proposal to get an overview on estimated cost to execute such project. In case of award of work by Client to BECIL, a tender shall be floated on government portal where participating agencies may quote their competitive price. No order shall be issued to any participating agency against this Eoi.

We agree to abide by all the terms and conditions of the EOI document.

We understand you are not bound to accept any Proposal you receive.

Signature of Authorized Signatory

Place: \_\_\_\_\_

Date: \_\_\_\_\_

Address: \_\_\_\_\_

Mobile: \_\_\_\_\_

Email ID: \_\_\_\_\_

**Credentials Summary**

<b>S. No.</b>	<b>Project Name</b>	<b>Client Name</b>	<b>Client Type</b>	<b>Similar Project Value (in INR)</b>	<b>Documentary evidence provided (Yes or No)</b>	<b>Project Status (Completed or Ongoing or Withheld)</b>
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						

Signature of Authorized Signatory

Place: \_\_\_\_\_

Date: \_\_\_\_\_

Address: \_\_\_\_\_

Mobile: \_\_\_\_\_

Email ID: \_\_\_\_\_